

Our Ref: NE30130_R018: DP
Contact: Dan Pygas

23 June 2023

South32 – Illawarra Metallurgical Coal

Level 3, Enterprise 1
Innovation Campus, Squires Way
North Wollongong
NSW 2500

Attention: Josh Carlon

Stantec

Level 9 - The Forum
203 Pacific Highway
St Leonards NSW 2065
Australia

Phone +61 2 9496 7700
Fax +61 2 9496 7748

www.cardno.com

Dear Josh,

APPIN AREA 9 LONGWALL 905 END OF PANEL REPORT - AQUATIC FLORA AND FAUNA REVIEW

Introduction

South23 - Illawarra Metallurgical Coal (IMC) extracts coal from the Bulli Seam in Area 7 and Area 9 of the Appin Colliery in the Southern Coalfield of New South Wales using longwall mining techniques. Appin Area 9 currently consists of approved Longwalls 901 to 905. The sequence of longwall extraction has been as follows:

- > Longwall 901: 19 January 2016 to 8 September 2017.
- > Longwall 902: 12 May 2018 to 3 April 2019.
- > Longwall 903: 1 November 2019 to 7 April 2021.
- > Longwall 904: 20 May 2021 to 9 August 2022.
- > Longwall 905: 25 September 2022 to 28 February 2023.

Stantec (formerly Cardno) was commissioned by IMC to undertake an Aquatic Flora and Fauna Review (AFFR) in relation to the extraction of Longwall 905 to support the End of Panel (EoP) reporting for the longwall. Stantec has been undertaking ongoing monitoring of aquatic habitat and biota in the section of the Nepean River in the Appin Area 9 (in conjunction with Appin Area 7) mining area. The overall objective of the monitoring is to determine whether the extent and nature of observed impacts, primarily subsidence-induced fracturing of bedrock, flow diversion and loss of aquatic habitat, if any, are consistent with the predictions made in the aquatic assessment (Cardno 2021a) and Extraction Plan (EP) for Longwalls 709 to 711 and 905 (IMC 2022). This review includes:

- > An overview of the management of aquatic flora and fauna including monitoring proposed and undertaken;
- > Review of observed impacts to aquatic habitat, flora and fauna from IMC impact reports and site visits undertaken by Cardno and a comparison with those predicted in the EP; and
- > Recommendations for any management actions associated with aquatic habitat and biota and future monitoring.

This review considers the effects of extraction of Longwall 905 in Appin Area 9 and focuses on the findings of ongoing monitoring by IMC, and on data from aquatic ecology monitoring sites on the Nepean River.

Aquatic Ecology Management and Monitoring

The monitoring requirements recommended in the aquatic assessment (Cardno 2021a), associated Biodiversity Management Plan (IMC 2021) and included in the EP for Longwalls 709 to 711 and 905 (IMC 2022), included biennial monitoring of the following indicators at impact and control sites for Longwall 905 as a measure of aquatic health:

- > Aquatic habitat, including fish habitat and riparian vegetation;
- > Aquatic macroinvertebrates sampled in accordance with the Australian River Assessment System (AUSRIVAS) and derived biotic indices;
- > Fish sampled using bait traps and backpack electrofishing;
- > Limited *in-situ* water quality sampling; and

> Species composition of aquatic macrophytes.

These indicators are assessed at two potential impact sites (X3 and X4), located on the Nepean River near its closest point to Appin Area 9 longwalls, and at control sites (X5 to X8) farther upstream on the Nepean River. Sites 1 and 2 located just upstream of Douglas Park Weir also provide a measure of potential downstream impacts. These sites are monitored annually for Appin Area 9. Ongoing monitoring for Appin Area 7 Longwalls 709 to 711 occurs farther downstream on the Nepean River at Sites 5 to 8. 0 shows these Nepean River sites in relation to Appin mining operations.

Table 1-1 summarises the monitoring that has been completed in Appin Area 9 in line with the aquatic assessment and EP. Before-extraction monitoring for Appin Area 9 Longwalls was undertaken in December 2014 (Cardno Ecology Lab 2015) and November 2015 (Cardno 2016). Subsequent biennial monitoring was undertaken in November 2017 (Cardno 2018), November 2019 (Cardno 2020) and December 2021 (Cardno 2022). Surveys included a literature review on the physical setting, aquatic habitat, water quality, aquatic macroinvertebrates, fish, threatened species, populations and ecological communities in Appin Area 9. Aquatic surveys have indicated riparian vegetation at sites X3 to X8 is largely undisturbed, consisting of numerous large, established trees with few breaks in cover. The channel is relatively narrow (approximately 10 to 20 m), shallow and faster flowing and the substratum includes coarse pebbles, cobbles, boulders and bedrock. At the downstream sites (Sites 1 and 2), aquatic habitat consists primarily of wide (approximately 30 m) channel, relatively deep and slow-flowing water, with sand / bedrock substratum (at least along the river edges). Two flow controlling structures occur nearby: Maldon Weir immediately upstream of Site X8; and Douglas Park Weir, just downstream of Site 2. Surveys were also undertaken at Sites 1 and 2 in November 2020 (Cardno 2021b) and December 2022 (Stantec 2023) as part of the Appin Area 7 investigations. Appin Area 9 sites will be visited again in November / December 2023.

Table 1-1 Timing of aquatic ecology monitoring events undertaken for Appin Area 9 Longwalls 901 to 905 before and after the commencement of extraction of each longwall.

Longwall	Commencement	Completion	Survey Date and Reference				
			Dec 2014	Nov 2015	Nov 2017	Nov 2019	Dec 2021
			Cardno Ecology Lab (2015)	Cardno (2016)	Cardno (2018)	Cardno (2020)	Cardno (2022)
901	Jan 16	Sep 17	Before	Before	After	After	After
902	May 17	Apr 19	Before	Before	After	After	After
903	Nov 19	Apr 21	Before	Before	Before	After	After
904	May 21	August 22	Before	Before	Before	Before	After
905	Sep 22	Feb 23	Before	Before	Before	Before	After

The current assessment for the AFFR for the Longwall 905 EoP considers the findings of previous surveys at Appin Area 9 monitoring sites and the recent findings of surveys for physical mining impacts undertaken by the Illawarra Metallurgical Coal Environmental Field Team (IMCEFT) (IMC 2023) and of changes in surface water quality assessed by HGEO (2023). IMCEFT undertake weekly monitoring of landscape and natural features in Appin Area 9 when features are within 400 m of the active longwall, and monthly thereafter. This includes monitoring during extraction of Appin Area 9 longwalls to identify any fracturing, pool water level reduction, changes in flow and water quality in the Nepean River.

The Appin Area 9 Biodiversity Management Plan includes the following triggers as part of the Trigger Action Response Plans (TARPs) relating to aquatic ecology:

- > Level 1: Reduction in aquatic habitat resulting from mining over 1 season
- > Level 2: Reduction in aquatic habitat resulting from mining over 2 seasons; and
- > Level 3: Reduction in aquatic habitat resulting from mining for > 2 consecutive seasons or complete loss of habitat.

Trigger specific management actions aim to minimise any further impacts to the aquatic environment, and include requirements for further monitoring, reporting, application of mitigation measures and notification of relevant stakeholders, as required.

Predicted Impacts

Extraction of Longwalls 901 to 904, which have been set back from the Nepean River at least 125 m, are The layout design for Longwalls 709, 710A, 710B, 711 and 905 includes a setback of at least 1.5 km from the Nepean River. As a result, it is unlikely the Nepean River would experience adverse physical impacts due to the mining-induced movements (MSEC 2021). No fracturing is predicted to occur in the Nepean River, thus there would be no reductions in the availability and connectivity of aquatic habitat. Longwall extraction is not anticipated to have any significant impacts on surface water quality as a result of mining the proposed longwalls. Significant impact to aquatic habitat and biota including threatened aquatic species, are, thus, not expected (Cardno 2021a). Fracturing could occur in the drainage lines above or immediately adjacent to the proposed longwalls. In areas of exposed bedrock, some diversion of surface water flows and the draining of pools may occur in associated drainage lines. It was considered unlikely that there would be any net loss of water from the catchment.

It is possible that gas releases may result in localised changes in water quality, such as reductions in DO, though localised changes are not expected to result in significant impacts to aquatic biota. No impacts to aquatic biota have been observed in the Nepean River associated with gas releases observed during extraction of previous Appin Area 7 and 9 longwalls (Cardno 2020 and references therein).

Observed Impacts

Physical and Water Quality Impacts

IMCEFT identified no new physical surface impacts in the Nepean River or tributaries associated with the extraction of Longwall 905 (IMC 2023). As of 5 April 2023, 11 gas release zones previously observed during extraction of Longwalls 901 and 904 were active in the Nepean River during the latest inspection on 5 April 2023. Previously reported gas releases have overall shown a decrease in size and intensity since initially reported. Previous gas release zones have been observed from Site 2 upstream to Site X3. These gas release zones typically occur over areas of under approximately ten square metres, whilst larger zones of light releases can occur scattered over areas up to several hundred square metres.

No other changes (including evidence of fracturing, other surface impacts, flow diversions or impacts to water quality or groundwater levels) in the Nepean River or tributaries were observed during the extraction of Longwall 905 (IMC 2023, HGEO 2023).

Aquatic Habitat and Biota

The results of monitoring undertaken by Cardno are compared with the impacts to aquatic habitat and biota predicted to occur in the in the aquatic assessment (Cardno 2021a) and EP in **Table 1-2**.




Figure 1-2 Location of gas releases and monitoring sites in the Nepean River adjacent to Longwalls 901 to 905.

Table 1-2 Predicted and observed impacts to aquatic ecology in the Nepean River associated with Longwall 905. Impacts to physical features and surface water quality assessed by IMCEFT (2021) and HGEO (2021), respectively. Impacts to aquatic ecology based on the findings of surveys undertaken at Sites 1, 2 and X3 to X8 in December 2022.

Attribute	Predicted Physical Impacts	Associated Predicted Impacts on Aquatic Ecology	Observed Impacts
Ponding, flooding and scouring of stream banks	The river is not predicted to experience any significant changes in the levels of ponding, flooding or scouring of the riverbanks, or any significant changes in the water levels or stream alignment due to longwall extraction.	There are unlikely to be any measurable impacts on the availability or connectivity of aquatic habitats in the downstream reach of the Nepean River due to its flooded nature and very low gradient	No changes in ponding flooding and scouring of stream banks observed (IMC 2023). No impacts to aquatic ecology identified during observations of aquatic macroinvertebrates, fish and aquatic macrophytes.
Fracturing of bedrock and diversion of surface flows	Minor and isolated fracturing of the riverbed could occur, however, it is not expected to result in any loss of surface water flows	It is considered unlikely that there would be any net loss of water from the catchment. No significant changes in the quantity or quality of permanent aquatic habitat.	No fracturing observed (IMC 2023). No impacts to aquatic ecology identified during observations of aquatic macroinvertebrates, fish and aquatic macrophytes.
Gas releases	Minor gas releases, associated iron precipitate and reductions in concentrations of dissolved oxygen may occur due to extraction.	Negligible environmental consequences	No new gas release zones identified during extraction of Longwall 905. Eleven other gas zones, previously identified during extraction of Longwalls 901 to 904, were active as of 5 April 2023. No associated changes to indicators of aquatic ecology at upstream and downstream monitoring sites have been observed.
Water Flow and Levels	Potential for loss or diversion is very low in the downstream reach. Minor, localised fracturing of rock bars and diversion of flows may occur in the upstream reach. No measurable impact expected in the upstream reach and it is unlikely that there would be any significant change in the downstream reach.	There are unlikely to be any measurable impacts on availability or connectivity of aquatic habitats in the downstream reach of the river due to its flooded nature and very low gradient in the upstream reach, any fracturing that occurs is expected to be isolated and minor in nature, so the potential for impacts on surface flow is limited. In the downstream reach, subsidence and upsidence may result in small changes in the levels of the riverbed and banks. This could lead to minor increases and decreases, respectively in the availability of aquatic habitat, but may be difficult to detect. Dilation of the bedrock in the base of the river could result in a minor decrease in water volume and availability of aquatic habitat. Minor changes in the availability of aquatic habitat could result in a reduction in the abundance of aquatic macroinvertebrates living therein. Losses would be negligible relative to the amount of habitat available within the downstream reach of the river.	No changes to water levels or indicators of aquatic ecology at aquatic ecology monitoring sites X3 and X4. The previously reported decline in water level of approximately 0.5 m below the baseline at Site NR0 continued during extraction to Longwall 903. However, water levels increased in the latter part of Longwall 903 extraction and through Longwall 904 extraction in response to high rainfall. A similar trend in water level was recorded at the upstream reference site NR110. Monitoring will continue at both sites.
Water Quality	Localised iron staining may occur. Minor changes to water quality may occur.	No more than associated impacts to aquatic biota is expected.	No iron staining was observed during extraction of Longwall 905. No mining related changes in water quality were observed during extraction of Longwall 905. No changes to indicators of aquatic ecology were observed at aquatic ecology monitoring sites.

Albeit Sites X3 to X8 were not visited in December 2022, there were no observed impacts to indicators of aquatic ecology (number of taxa and biotic indices derived from macroinvertebrate sampling) in the wider Nepean River in December 2022 that could be attributed to extraction of Longwall 905, or any other Appin Area 7 and 9 Longwall (Stantec 2023). Aquatic habitat at all sites on the Nepean River was good condition and there was no evidence of any change in the availability of aquatic habitat that could be attributed to mining.

There was no evidence that the changes in water levels and water quality had affected aquatic habitat and biota at these sites and there was no evidence of any changes to fish and aquatic macrophytes. The fish assemblage sampled at these sites following the commencement of extraction of Longwall 905 was comparable with that sampled prior to extraction. No fish kills or any other observations that may suggest an impact due to mining were observed.

Aquatic Ecology TARP

Table 1-3 compares potential impacts to aquatic ecology with the TARP levels and determines if these have been triggered and what management actions associated with extraction of Longwall 905 may be appropriate, if any. No reduction in aquatic habitat was observed on the Nepean River during the aquatic ecology monitoring program that could be attributed to mining. Thus, TARPs have not been triggered.

Table 1-3 TARP levels applicable to aquatic features relevant to Longwall 905 as of May 2023.

TARP	Trigger	Recommended Management Actions
Level 1: Reduction in aquatic habitat resulting from mining over one season	Not triggered	None recommended
Level 2: Reduction in aquatic habitat resulting from mining over two seasons.	Not triggered	None recommended
Level 3: Reduction in aquatic habitat resulting from mining for > three consecutive seasons or complete loss of habitat	Not triggered	None recommended

Conclusion and Recommendations

No changes to aquatic ecology indicators that could be associated with extraction of Longwall 905 have been detected in aquatic ecology data collected in December 2022. This was not surprising given no more than minor gas releases have been observed in the Nepean River associated with mining. The gas release identified in the Nepean River active during extraction of Longwall 905 do not appear to have had any measurable effect on macroinvertebrates, fish and macrophytes farther downstream in the Nepean River.

Further monitoring will be undertaken at all Appin Area 9 potential impact and control sites in November / December 2023. This will include a full assessment of any changes to aquatic habitat and biota that may have occurred at Appin Area 9 monitoring sites following the completion of Longwalls 901 to 905.

Yours sincerely,



Daniel Pygas
Principal – Aquatic Ecology
for Cardno
Phone +61 2 9496 7700
Email: Daniel.Pygas@cardno.com.au

References

- Cardno Ecology Lab (2012). Appin Area 9 Longwalls 901 to 904. Aquatic Ecology Assessment.
- Cardno Ecology Lab (2015). Appin Longwalls 701 to 710 and 901 to 904. Aquatic Ecology Monitoring 2003 to 2014.
- Cardno Ecology Lab (2016). Appin Longwalls 701 to 710 and 901 to 904. Aquatic Ecology Monitoring 2003 to 2015.
- Cardno (2018). Appin Areas 7 and 9. Aquatic Ecology Monitoring 2003 to 2017.
- Cardno (2019). Appin Area 7. Aquatic Ecology Monitoring 2003 to 2018.
- Cardno (2020). Appin Area 7 and 9. Aquatic Ecology Monitoring 2003 to 2019.
- Cardno (2021a). Aquatic Flora and Fauna Assessment. Appin Area 7&9 Longwalls 709, 710A, 710B, 711 and 905. May 2021.
- Cardno (2021b). Appin Area 7. Aquatic Ecology Monitoring 2003 to 2020.
- Cardno (2022). Appin Area 7 and 9. Aquatic Ecology Monitoring 2003 to 2021.
- Stantec (2023). Appin Area 7. Aquatic Ecology Monitoring 2003 to 2021.
- HGEO (2023). IMC . Appin Mine. Area 9 Longwall 905 End of Panel surface water and groundwater monitoring review. June 2023.
- IMC (2021). Longwalls 709 to 711 and 905 Biodiversity Management Plan. October 2021.
- IMC (2022). Appin Mine Areas 7 and 9 Longwalls 709 to 711 and 905 Extraction Plan Main Document.
- IMC (2023). Appin Mine Longwall 905 Landscape Report. 2023.
- MSEC (2021). Subsidence Predictions and Impact Assessments for the Natural and Built Features due to the Extraction of the Proposed Longwalls 709, 710A, 710B, 711 and 905 at Appin Colliery.