

SYS_LOC_I	SAMPLE_DATE	CHEMICAL_NAME	REPORT_R	REPORT_RESULT_UNIT
S40	13/03/2025	Aluminium	0.01	mg/L
S40	13/03/2025	Bicarbonate Alkalinity as CaCO3	194	mg/L
S40	13/03/2025	Cadmium	< 0.0001	mg/L
S40	13/03/2025	Calcium	140	mg/L
S40	13/03/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S40	13/03/2025	Chloride	3420	mg/L
S40	13/03/2025	Copper	< 0.001	mg/L
S40	13/03/2025	Electrical Conductivity @ 25°C	11100	µS/cm
S40	13/03/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S40	13/03/2025	Ionic Balance	1.22	%
S40	13/03/2025	Iron	< 0.05	mg/L
S40	13/03/2025	Magnesium	364	mg/L
S40	13/03/2025	Manganese	0.149	mg/L
S40	13/03/2025	Nickel	< 0.001	mg/L
S40	13/03/2025	Nitrate as N	0.02	mg/L
S40	13/03/2025	Nitrite	< 0.01	mg/L
S40	13/03/2025	Nitrite + Nitrate as N	0.02	mg/L
S40	13/03/2025	pH	8.14	pH Unit
S40	13/03/2025	Potassium	16	mg/L
S40	13/03/2025	Silver	< 0.001	mg/L
S40	13/03/2025	Sodium	1610	mg/L
S40	13/03/2025	Sulfate	214	mg/L
S40	13/03/2025	Sulfur as S	76	mg/L
S40	13/03/2025	TDS Calculation	7220	mg/L
S40	13/03/2025	Total Alkalinity as CaCO3	194	mg/L
S40	13/03/2025	Total Anions	105	meq/L
S40	13/03/2025	Total Cations	107	meq/L
S40	13/03/2025	Turbidity	1.0	NTU
S40	13/03/2025	Zinc	< 0.005	mg/L
S40	27/03/2025	Aluminium	0.04	mg/L
S40	27/03/2025	Bicarbonate Alkalinity as CaCO3	215	mg/L
S40	27/03/2025	Cadmium	< 0.0001	mg/L
S40	27/03/2025	Calcium	143	mg/L
S40	27/03/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S40	27/03/2025	Chloride	3800	mg/L
S40	27/03/2025	Copper	0.002	mg/L
S40	27/03/2025	Electrical Conductivity @ 25°C	11900	µS/cm
S40	27/03/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S40	27/03/2025	Ionic Balance	0.50	%
S40	27/03/2025	Iron	0.09	mg/L
S40	27/03/2025	Magnesium	397	mg/L
S40	27/03/2025	Manganese	0.195	mg/L
S40	27/03/2025	Nickel	< 0.001	mg/L
S40	27/03/2025	Nitrate as N	0.03	mg/L
S40	27/03/2025	Nitrite	< 0.01	mg/L
S40	27/03/2025	Nitrite + Nitrate as N	0.03	mg/L
S40	27/03/2025	pH	7.97	pH Unit
S40	27/03/2025	Potassium	18	mg/L
S40	27/03/2025	Silver	< 0.001	mg/L
S40	27/03/2025	Sodium	1730	mg/L
S40	27/03/2025	Sulfate	250	mg/L
S40	27/03/2025	Sulfur as S	86	mg/L

S40	27/03/2025	TDS Calculation	7740	mg/L
S40	27/03/2025	Total Alkalinity as CaCO ₃	215	mg/L
S40	27/03/2025	Total Anions	117	meq/L
S40	27/03/2025	Total Cations	116	meq/L
S40	27/03/2025	Turbidity	1.4	NTU
S40	27/03/2025	Zinc	< 0.005	mg/L
S40	4/04/2025	Aluminium	0.08	mg/L
S40	4/04/2025	Bicarbonate Alkalinity as CaCO ₃	231	mg/L
S40	4/04/2025	Cadmium	< 0.0001	mg/L
S40	4/04/2025	Calcium	133	mg/L
S40	4/04/2025	Carbonate Alkalinity as CaCO ₃	< 1	mg/L
S40	4/04/2025	Chloride	3590	mg/L
S40	4/04/2025	Copper	< 0.001	mg/L
S40	4/04/2025	Electrical Conductivity @ 25°C	11900	µS/cm
S40	4/04/2025	Hydroxide Alkalinity as CaCO ₃	< 1	mg/L
S40	4/04/2025	Ionic Balance	1.13	%
S40	4/04/2025	Iron	0.14	mg/L
S40	4/04/2025	Magnesium	385	mg/L
S40	4/04/2025	Manganese	0.214	mg/L
S40	4/04/2025	Nickel	0.001	mg/L
S40	4/04/2025	Nitrate as N	0.03	mg/L
S40	4/04/2025	Nitrite	< 0.01	mg/L
S40	4/04/2025	Nitrite + Nitrate as N	0.03	mg/L
S40	4/04/2025	pH	8.11	pH Unit
S40	4/04/2025	Potassium	17	mg/L
S40	4/04/2025	Silver	< 0.001	mg/L
S40	4/04/2025	Sodium	1600	mg/L
S40	4/04/2025	Sulfate	238	mg/L
S40	4/04/2025	Sulfur as S	85	mg/L
S40	4/04/2025	TDS Calculation	7740	mg/L
S40	4/04/2025	Total Alkalinity as CaCO ₃	231	mg/L
S40	4/04/2025	Total Anions	111	meq/L
S40	4/04/2025	Total Cations	108	meq/L
S40	4/04/2025	Turbidity	1.2	NTU
S40	4/04/2025	Zinc	< 0.005	mg/L
S40	8/04/2025	Aluminium	0.02	mg/L
S40	8/04/2025	Bicarbonate Alkalinity as CaCO ₃	232	mg/L
S40	8/04/2025	Cadmium	< 0.0001	mg/L
S40	8/04/2025	Calcium	142	mg/L
S40	8/04/2025	Carbonate Alkalinity as CaCO ₃	< 1	mg/L
S40	8/04/2025	Chloride	3760	mg/L
S40	8/04/2025	Copper	0.003	mg/L
S40	8/04/2025	Electrical Conductivity @ 25°C	12100	µS/cm
S40	8/04/2025	Hydroxide Alkalinity as CaCO ₃	< 1	mg/L
S40	8/04/2025	Ionic Balance	2.39	%
S40	8/04/2025	Iron	0.09	mg/L
S40	8/04/2025	Magnesium	393	mg/L
S40	8/04/2025	Manganese	0.139	mg/L
S40	8/04/2025	Nickel	< 0.001	mg/L
S40	8/04/2025	Nitrate as N	0.02	mg/L
S40	8/04/2025	Nitrite	< 0.01	mg/L
S40	8/04/2025	Nitrite + Nitrate as N	0.02	mg/L
S40	8/04/2025	pH	8.16	pH Unit

S40	8/04/2025	Potassium	16	mg/L
S40	8/04/2025	Silver	< 0.001	mg/L
S40	8/04/2025	Sodium	1620	mg/L
S40	8/04/2025	Sulfate	241	mg/L
S40	8/04/2025	Sulfur as S	82	mg/L
S40	8/04/2025	TDS Calculation	7860	mg/L
S40	8/04/2025	Total Alkalinity as CaCO3	232	mg/L
S40	8/04/2025	Total Anions	116	meq/L
S40	8/04/2025	Total Cations	110	meq/L
S40	8/04/2025	Turbidity	1.2	NTU
S40	8/04/2025	Zinc	< 0.005	mg/L
S40	14/04/2025	Aluminium	0.02	mg/L
S40	14/04/2025	Bicarbonate Alkalinity as CaCO3	243	mg/L
S40	14/04/2025	Cadmium	< 0.0001	mg/L
S40	14/04/2025	Calcium	143	mg/L
S40	14/04/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S40	14/04/2025	Chloride	3900	mg/L
S40	14/04/2025	Copper	< 0.001	mg/L
S40	14/04/2025	Electrical Conductivity @ 25°C	13100	µS/cm
S40	14/04/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S40	14/04/2025	Ionic Balance	2.34	%
S40	14/04/2025	Iron	0.07	mg/L
S40	14/04/2025	Magnesium	409	mg/L
S40	14/04/2025	Manganese	0.140	mg/L
S40	14/04/2025	Nickel	< 0.001	mg/L
S40	14/04/2025	Nitrate as N	0.04	mg/L
S40	14/04/2025	Nitrite	< 0.01	mg/L
S40	14/04/2025	Nitrite + Nitrate as N	0.04	mg/L
S40	14/04/2025	pH	8.18	pH Unit
S40	14/04/2025	Potassium	18	mg/L
S40	14/04/2025	Silver	< 0.001	mg/L
S40	14/04/2025	Sodium	1690	mg/L
S40	14/04/2025	Sulfate	260	mg/L
S40	14/04/2025	Sulfur as S	79	mg/L
S40	14/04/2025	TDS Calculation	8520	mg/L
S40	14/04/2025	Total Alkalinity as CaCO3	243	mg/L
S40	14/04/2025	Total Anions	120	meq/L
S40	14/04/2025	Total Cations	115	meq/L
S40	14/04/2025	Turbidity	1.1	NTU
S40	14/04/2025	Zinc	< 0.005	mg/L
S40	23/04/2025	Aluminium	0.03	mg/L
S40	23/04/2025	Bicarbonate Alkalinity as CaCO3	251	mg/L
S40	23/04/2025	Cadmium	< 0.0001	mg/L
S40	23/04/2025	Calcium	144	mg/L
S40	23/04/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S40	23/04/2025	Chloride	4230	mg/L
S40	23/04/2025	Copper	< 0.001	mg/L
S40	23/04/2025	Electrical Conductivity @ 25°C	12100	µS/cm
S40	23/04/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S40	23/04/2025	Ionic Balance	0.04	%
S40	23/04/2025	Iron	0.08	mg/L
S40	23/04/2025	Magnesium	444	mg/L
S40	23/04/2025	Manganese	0.124	mg/L

S40	23/04/2025	Nickel	< 0.001	mg/L
S40	23/04/2025	Nitrate as N	0.04	mg/L
S40	23/04/2025	Nitrite	< 0.01	mg/L
S40	23/04/2025	Nitrite + Nitrate as N	0.04	mg/L
S40	23/04/2025	pH	8.13	pH Unit
S40	23/04/2025	Potassium	20	mg/L
S40	23/04/2025	Silver	< 0.001	mg/L
S40	23/04/2025	Sodium	1960	mg/L
S40	23/04/2025	Sulfate	253	mg/L
S40	23/04/2025	Sulfur as S	90	mg/L
S40	23/04/2025	TDS Calculation	7860	mg/L
S40	23/04/2025	Total Alkalinity as CaCO3	251	mg/L
S40	23/04/2025	Total Anions	130	meq/L
S40	23/04/2025	Total Cations	129	meq/L
S40	23/04/2025	Turbidity	0.8	NTU
S40	23/04/2025	Zinc	< 0.005	mg/L
S40	29/04/2025	Aluminium	0.02	mg/L
S40	29/04/2025	Bicarbonate Alkalinity as CaCO3	212	mg/L
S40	29/04/2025	Cadmium	< 0.0001	mg/L
S40	29/04/2025	Calcium	150	mg/L
S40	29/04/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S40	29/04/2025	Chloride	4180	mg/L
S40	29/04/2025	Copper	< 0.001	mg/L
S40	29/04/2025	Electrical Conductivity @ 25°C	13700	µS/cm
S40	29/04/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S40	29/04/2025	Ionic Balance	3.28	%
S40	29/04/2025	Iron	0.08	mg/L
S40	29/04/2025	Magnesium	437	mg/L
S40	29/04/2025	Manganese	0.067	mg/L
S40	29/04/2025	Nickel	< 0.001	mg/L
S40	29/04/2025	Nitrate as N	0.05	mg/L
S40	29/04/2025	Nitrite	< 0.01	mg/L
S40	29/04/2025	Nitrite + Nitrate as N	0.05	mg/L
S40	29/04/2025	pH	8.05	pH Unit
S40	29/04/2025	Potassium	12	mg/L
S40	29/04/2025	Silver	< 0.001	mg/L
S40	29/04/2025	Sodium	2120	mg/L
S40	29/04/2025	Sulfate	249	mg/L
S40	29/04/2025	Sulfur as S	94	mg/L
S40	29/04/2025	TDS Calculation	8900	mg/L
S40	29/04/2025	Total Alkalinity as CaCO3	212	mg/L
S40	29/04/2025	Total Anions	127	meq/L
S40	29/04/2025	Total Cations	136	meq/L
S40	29/04/2025	Turbidity	0.8	NTU
S40	29/04/2025	Zinc	< 0.005	mg/L
S40	6/05/2025	Aluminium	0.05	mg/L
S40	6/05/2025	Bicarbonate Alkalinity as CaCO3	224	mg/L
S40	6/05/2025	Cadmium	< 0.0001	mg/L
S40	6/05/2025	Calcium	146	mg/L
S40	6/05/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S40	6/05/2025	Chloride	4160	mg/L
S40	6/05/2025	Copper	< 0.001	mg/L
S40	6/05/2025	Electrical Conductivity @ 25°C	13700	µS/cm

S40	6/05/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S40	6/05/2025	Ionic Balance	1.93	%
S40	6/05/2025	Iron	0.14	mg/L
S40	6/05/2025	Magnesium	437	mg/L
S40	6/05/2025	Manganese	0.080	mg/L
S40	6/05/2025	Nickel	< 0.001	mg/L
S40	6/05/2025	Nitrate as N	0.03	mg/L
S40	6/05/2025	Nitrite	< 0.01	mg/L
S40	6/05/2025	Nitrite + Nitrate as N	0.03	mg/L
S40	6/05/2025	pH	8.14	pH Unit
S40	6/05/2025	Potassium	12	mg/L
S40	6/05/2025	Silver	< 0.001	mg/L
S40	6/05/2025	Sodium	2030	mg/L
S40	6/05/2025	Sulfate	242	mg/L
S40	6/05/2025	Sulfur as S	89	mg/L
S40	6/05/2025	TDS Calculation	8900	mg/L
S40	6/05/2025	Total Alkalinity as CaCO3	224	mg/L
S40	6/05/2025	Total Anions	127	meq/L
S40	6/05/2025	Total Cations	132	meq/L
S40	6/05/2025	Turbidity	1.1	NTU
S40	6/05/2025	Zinc	< 0.005	mg/L
S40	13/05/2025	Aluminium	0.07	mg/L
S40	13/05/2025	Bicarbonate Alkalinity as CaCO3	207	mg/L
S40	13/05/2025	Cadmium	< 0.0001	mg/L
S40	13/05/2025	Calcium	146	mg/L
S40	13/05/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S40	13/05/2025	Chloride	4750	mg/L
S40	13/05/2025	Copper	< 0.001	mg/L
S40	13/05/2025	Electrical Conductivity @ 25°C	13200	µS/cm
S40	13/05/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S40	13/05/2025	Ionic Balance	4.53	%
S40	13/05/2025	Iron	0.13	mg/L
S40	13/05/2025	Magnesium	427	mg/L
S40	13/05/2025	Manganese	0.070	mg/L
S40	13/05/2025	Nickel	< 0.001	mg/L
S40	13/05/2025	Nitrate as N	0.04	mg/L
S40	13/05/2025	Nitrite	< 0.01	mg/L
S40	13/05/2025	Nitrite + Nitrate as N	0.04	mg/L
S40	13/05/2025	pH	8.10	pH Unit
S40	13/05/2025	Potassium	11	mg/L
S40	13/05/2025	Silver	< 0.001	mg/L
S40	13/05/2025	Sodium	2010	mg/L
S40	13/05/2025	Sulfate	210	mg/L
S40	13/05/2025	Sulfur as S	84	mg/L
S40	13/05/2025	TDS Calculation	8580	mg/L
S40	13/05/2025	Total Alkalinity as CaCO3	207	mg/L
S40	13/05/2025	Total Anions	142	meq/L
S40	13/05/2025	Total Cations	130	meq/L
S40	13/05/2025	Turbidity	2.5	NTU
S40	13/05/2025	Zinc	< 0.005	mg/L
S40	20/05/2025	Aluminium	0.02	mg/L
S40	20/05/2025	Bicarbonate Alkalinity as CaCO3	232	mg/L
S40	20/05/2025	Cadmium	< 0.0001	mg/L

S40	20/05/2025	Calcium	154	mg/L
S40	20/05/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S40	20/05/2025	Chloride	4450	mg/L
S40	20/05/2025	Copper	< 0.001	mg/L
S40	20/05/2025	Electrical Conductivity @ 25°C	13300	µS/cm
S40	20/05/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S40	20/05/2025	Ionic Balance	2.46	%
S40	20/05/2025	Iron	0.08	mg/L
S40	20/05/2025	Magnesium	427	mg/L
S40	20/05/2025	Manganese	0.055	mg/L
S40	20/05/2025	Nickel	< 0.001	mg/L
S40	20/05/2025	Nitrate as N	0.03	mg/L
S40	20/05/2025	Nitrite	< 0.01	mg/L
S40	20/05/2025	Nitrite + Nitrate as N	0.03	mg/L
S40	20/05/2025	pH	8.02	pH Unit
S40	20/05/2025	Potassium	11	mg/L
S40	20/05/2025	Silver	< 0.001	mg/L
S40	20/05/2025	Sodium	1960	mg/L
S40	20/05/2025	Sulfate	224	mg/L
S40	20/05/2025	Sulfur as S	85	mg/L
S40	20/05/2025	TDS Calculation	8640	mg/L
S40	20/05/2025	Total Alkalinity as CaCO3	232	mg/L
S40	20/05/2025	Total Anions	135	meq/L
S40	20/05/2025	Total Cations	128	meq/L
S40	20/05/2025	Turbidity	1.4	NTU
S40	20/05/2025	Zinc	< 0.005	mg/L
S40	28/05/2025	Aluminium	0.04	mg/L
S40	28/05/2025	Bicarbonate Alkalinity as CaCO3	232	mg/L
S40	28/05/2025	Cadmium	< 0.0001	mg/L
S40	28/05/2025	Calcium	155	mg/L
S40	28/05/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S40	28/05/2025	Chloride	4260	mg/L
S40	28/05/2025	Copper	< 0.001	mg/L
S40	28/05/2025	Electrical Conductivity @ 25°C	13500	µS/cm
S40	28/05/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S40	28/05/2025	Ionic Balance	1.85	%
S40	28/05/2025	Iron	0.09	mg/L
S40	28/05/2025	Magnesium	421	mg/L
S40	28/05/2025	Manganese	0.041	mg/L
S40	28/05/2025	Nickel	< 0.001	mg/L
S40	28/05/2025	Nitrate as N	0.05	mg/L
S40	28/05/2025	Nitrite	< 0.01	mg/L
S40	28/05/2025	Nitrite + Nitrate as N	0.05	mg/L
S40	28/05/2025	pH	8.02	pH Unit
S40	28/05/2025	Potassium	10	mg/L
S40	28/05/2025	Silver	< 0.001	mg/L
S40	28/05/2025	Sodium	1890	mg/L
S40	28/05/2025	Sulfate	228	mg/L
S40	28/05/2025	Sulfur as S	85	mg/L
S40	28/05/2025	TDS Calculation	8780	mg/L
S40	28/05/2025	Total Alkalinity as CaCO3	232	mg/L
S40	28/05/2025	Total Anions	130	meq/L
S40	28/05/2025	Total Cations	125	meq/L

S40	28/05/2025	Turbidity	1.4	NTU
S40	28/05/2025	Zinc	< 0.005	mg/L
S40	2/06/2025	Aluminium	0.02	mg/L
S40	2/06/2025	Bicarbonate Alkalinity as CaCO3	216	mg/L
S40	2/06/2025	Cadmium	< 0.0001	mg/L
S40	2/06/2025	Calcium	155	mg/L
S40	2/06/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S40	2/06/2025	Chloride	4250	mg/L
S40	2/06/2025	Copper	< 0.001	mg/L
S40	2/06/2025	Electrical Conductivity @ 25°C	12100	µS/cm
S40	2/06/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S40	2/06/2025	Ionic Balance	2.13	%
S40	2/06/2025	Iron	0.12	mg/L
S40	2/06/2025	Magnesium	404	mg/L
S40	2/06/2025	Manganese	0.072	mg/L
S40	2/06/2025	Nickel	< 0.001	mg/L
S40	2/06/2025	Nitrate as N	0.02	mg/L
S40	2/06/2025	Nitrite	< 0.01	mg/L
S40	2/06/2025	Nitrite + Nitrate as N	0.02	mg/L
S40	2/06/2025	pH	7.87	pH Unit
S40	2/06/2025	Potassium	10	mg/L
S40	2/06/2025	Silver	< 0.001	mg/L
S40	2/06/2025	Sodium	1890	mg/L
S40	2/06/2025	Sulfate	222	mg/L
S40	2/06/2025	Sulfur as S	85	mg/L
S40	2/06/2025	TDS Calculation	7860	mg/L
S40	2/06/2025	Total Alkalinity as CaCO3	216	mg/L
S40	2/06/2025	Total Anions	129	meq/L
S40	2/06/2025	Total Cations	123	meq/L
S40	2/06/2025	Turbidity	2.3	NTU
S40	2/06/2025	Zinc	< 0.005	mg/L
S40	12/06/2025	Aluminium	0.01	mg/L
S40	12/06/2025	Bicarbonate Alkalinity as CaCO3	195	mg/L
S40	12/06/2025	Cadmium	< 0.0001	mg/L
S40	12/06/2025	Calcium	160	mg/L
S40	12/06/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S40	12/06/2025	Chloride	3690	mg/L
S40	12/06/2025	Copper	< 0.001	mg/L
S40	12/06/2025	Electrical Conductivity @ 25°C	11800	µS/cm
S40	12/06/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S40	12/06/2025	Ionic Balance	1.19	%
S40	12/06/2025	Iron	0.12	mg/L
S40	12/06/2025	Magnesium	390	mg/L
S40	12/06/2025	Manganese	0.061	mg/L
S40	12/06/2025	Nickel	< 0.001	mg/L
S40	12/06/2025	Nitrate as N	0.07	mg/L
S40	12/06/2025	Nitrite	< 0.01	mg/L
S40	12/06/2025	Nitrite + Nitrate as N	0.07	mg/L
S40	12/06/2025	pH	7.84	pH Unit
S40	12/06/2025	Potassium	10	mg/L
S40	12/06/2025	Silver	< 0.001	mg/L
S40	12/06/2025	Sodium	1740	mg/L
S40	12/06/2025	Sulfate	255	mg/L

S40	12/06/2025	Sulfur as S	86	mg/L
S40	12/06/2025	TDS Calculation	7670	mg/L
S40	12/06/2025	Total Alkalinity as CaCO3	195	mg/L
S40	12/06/2025	Total Anions	113	meq/L
S40	12/06/2025	Total Cations	116	meq/L
S40	12/06/2025	Turbidity	1.5	NTU
S40	12/06/2025	Zinc	< 0.005	mg/L
S40	18/06/2025	Aluminium	0.06	mg/L
S40	18/06/2025	Bicarbonate Alkalinity as CaCO3	218	mg/L
S40	18/06/2025	Cadmium	< 0.0001	mg/L
S40	18/06/2025	Calcium	172	mg/L
S40	18/06/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S40	18/06/2025	Chloride	5100	mg/L
S40	18/06/2025	Copper	< 0.001	mg/L
S40	18/06/2025	Electrical Conductivity @ 25°C	15500	µS/cm
S40	18/06/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S40	18/06/2025	Ionic Balance	2.36	%
S40	18/06/2025	Iron	0.15	mg/L
S40	18/06/2025	Magnesium	469	mg/L
S40	18/06/2025	Manganese	0.062	mg/L
S40	18/06/2025	Nickel	< 0.001	mg/L
S40	18/06/2025	Nitrate as N	0.03	mg/L
S40	18/06/2025	Nitrite	< 0.01	mg/L
S40	18/06/2025	Nitrite + Nitrate as N	0.03	mg/L
S40	18/06/2025	pH	7.98	pH Unit
S40	18/06/2025	Potassium	12	mg/L
S40	18/06/2025	Silver	< 0.001	mg/L
S40	18/06/2025	Sodium	2300	mg/L
S40	18/06/2025	Sulfate	310	mg/L
S40	18/06/2025	Sulfur as S	109	mg/L
S40	18/06/2025	TDS Calculation	10100	mg/L
S40	18/06/2025	Total Alkalinity as CaCO3	218	mg/L
S40	18/06/2025	Total Anions	155	meq/L
S40	18/06/2025	Total Cations	148	meq/L
S40	18/06/2025	Turbidity	1.1	NTU
S40	18/06/2025	Zinc	< 0.005	mg/L
S40	25/06/2025	Aluminium	0.01	mg/L
S40	25/06/2025	Bicarbonate Alkalinity as CaCO3	197	mg/L
S40	25/06/2025	Cadmium	< 0.0001	mg/L
S40	25/06/2025	Calcium	184	mg/L
S40	25/06/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S40	25/06/2025	Chloride	5790	mg/L
S40	25/06/2025	Copper	< 0.001	mg/L
S40	25/06/2025	Electrical Conductivity @ 25°C	16000	µS/cm
S40	25/06/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S40	25/06/2025	Ionic Balance	5.12	%
S40	25/06/2025	Iron	0.21	mg/L
S40	25/06/2025	Magnesium	528	mg/L
S40	25/06/2025	Manganese	0.077	mg/L
S40	25/06/2025	Nickel	< 0.001	mg/L
S40	25/06/2025	Nitrate as N	0.07	mg/L
S40	25/06/2025	Nitrite	< 0.01	mg/L
S40	25/06/2025	Nitrite + Nitrate as N	0.07	mg/L

S40	25/06/2025	pH	8.02	pH Unit
S40	25/06/2025	Potassium	13	mg/L
S40	25/06/2025	Silver	< 0.001	mg/L
S40	25/06/2025	Sodium	2400	mg/L
S40	25/06/2025	Sulfate	340	mg/L
S40	25/06/2025	Sulfur as S	126	mg/L
S40	25/06/2025	TDS Calculation	10400	mg/L
S40	25/06/2025	Total Alkalinity as CaCO3	197	mg/L
S40	25/06/2025	Total Anions	174	meq/L
S40	25/06/2025	Total Cations	157	meq/L
S40	25/06/2025	Turbidity	3.6	NTU
S40	25/06/2025	Zinc	< 0.005	mg/L
S41	13/03/2025	Aluminium	< 0.01	mg/L
S41	13/03/2025	Bicarbonate Alkalinity as CaCO3	101	mg/L
S41	13/03/2025	Cadmium	< 0.0001	mg/L
S41	13/03/2025	Calcium	204	mg/L
S41	13/03/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41	13/03/2025	Chloride	1970	mg/L
S41	13/03/2025	Copper	< 0.001	mg/L
S41	13/03/2025	Electrical Conductivity @ 25°C	6440	µS/cm
S41	13/03/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41	13/03/2025	Ionic Balance	0.58	%
S41	13/03/2025	Iron	0.14	mg/L
S41	13/03/2025	Magnesium	225	mg/L
S41	13/03/2025	Manganese	0.287	mg/L
S41	13/03/2025	Nickel	< 0.001	mg/L
S41	13/03/2025	Nitrate as N	0.05	mg/L
S41	13/03/2025	Nitrite	< 0.01	mg/L
S41	13/03/2025	Nitrite + Nitrate as N	0.05	mg/L
S41	13/03/2025	pH	7.63	pH Unit
S41	13/03/2025	Potassium	7	mg/L
S41	13/03/2025	Silver	< 0.001	mg/L
S41	13/03/2025	Sodium	737	mg/L
S41	13/03/2025	Sulfate	127	mg/L
S41	13/03/2025	Sulfur as S	44	mg/L
S41	13/03/2025	TDS Calculation	4190	mg/L
S41	13/03/2025	Total Alkalinity as CaCO3	101	mg/L
S41	13/03/2025	Total Anions	60.2	meq/L
S41	13/03/2025	Total Cations	60.9	meq/L
S41	13/03/2025	Turbidity	1.2	NTU
S41	13/03/2025	Zinc	< 0.005	mg/L
S41	27/03/2025	Aluminium	0.05	mg/L
S41	27/03/2025	Bicarbonate Alkalinity as CaCO3	151	mg/L
S41	27/03/2025	Cadmium	< 0.0001	mg/L
S41	27/03/2025	Calcium	213	mg/L
S41	27/03/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41	27/03/2025	Chloride	2790	mg/L
S41	27/03/2025	Copper	0.001	mg/L
S41	27/03/2025	Electrical Conductivity @ 25°C	8800	µS/cm
S41	27/03/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41	27/03/2025	Ionic Balance	0.77	%
S41	27/03/2025	Iron	0.09	mg/L
S41	27/03/2025	Magnesium	304	mg/L

S41	27/03/2025	Manganese	0.195	mg/L
S41	27/03/2025	Nickel	< 0.001	mg/L
S41	27/03/2025	Nitrate as N	0.08	mg/L
S41	27/03/2025	Nitrite	< 0.01	mg/L
S41	27/03/2025	Nitrite + Nitrate as N	0.08	mg/L
S41	27/03/2025	pH	7.57	pH Unit
S41	27/03/2025	Potassium	11	mg/L
S41	27/03/2025	Silver	< 0.001	mg/L
S41	27/03/2025	Sodium	1100	mg/L
S41	27/03/2025	Sulfate	161	mg/L
S41	27/03/2025	Sulfur as S	65	mg/L
S41	27/03/2025	TDS Calculation	5720	mg/L
S41	27/03/2025	Total Alkalinity as CaCO3	151	mg/L
S41	27/03/2025	Total Anions	85.1	meq/L
S41	27/03/2025	Total Cations	83.8	meq/L
S41	27/03/2025	Turbidity	2.4	NTU
S41	27/03/2025	Zinc	< 0.005	mg/L
S41	4/04/2025	Aluminium	< 0.01	mg/L
S41	4/04/2025	Bicarbonate Alkalinity as CaCO3	154	mg/L
S41	4/04/2025	Cadmium	< 0.0001	mg/L
S41	4/04/2025	Calcium	195	mg/L
S41	4/04/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41	4/04/2025	Chloride	2690	mg/L
S41	4/04/2025	Copper	< 0.001	mg/L
S41	4/04/2025	Electrical Conductivity @ 25°C	9060	µS/cm
S41	4/04/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41	4/04/2025	Ionic Balance	0.02	%
S41	4/04/2025	Iron	0.24	mg/L
S41	4/04/2025	Magnesium	304	mg/L
S41	4/04/2025	Manganese	0.368	mg/L
S41	4/04/2025	Nickel	< 0.001	mg/L
S41	4/04/2025	Nitrate as N	0.09	mg/L
S41	4/04/2025	Nitrite	< 0.01	mg/L
S41	4/04/2025	Nitrite + Nitrate as N	0.09	mg/L
S41	4/04/2025	pH	7.84	pH Unit
S41	4/04/2025	Potassium	10	mg/L
S41	4/04/2025	Silver	< 0.001	mg/L
S41	4/04/2025	Sodium	1090	mg/L
S41	4/04/2025	Sulfate	165	mg/L
S41	4/04/2025	Sulfur as S	66	mg/L
S41	4/04/2025	TDS Calculation	5890	mg/L
S41	4/04/2025	Total Alkalinity as CaCO3	154	mg/L
S41	4/04/2025	Total Anions	82.4	meq/L
S41	4/04/2025	Total Cations	82.4	meq/L
S41	4/04/2025	Turbidity	1.8	NTU
S41	4/04/2025	Zinc	< 0.005	mg/L
S41	8/04/2025	Aluminium	< 0.01	mg/L
S41	8/04/2025	Bicarbonate Alkalinity as CaCO3	149	mg/L
S41	8/04/2025	Cadmium	< 0.0001	mg/L
S41	8/04/2025	Calcium	198	mg/L
S41	8/04/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41	8/04/2025	Chloride	2680	mg/L
S41	8/04/2025	Copper	0.001	mg/L

S41	8/04/2025	Electrical Conductivity @ 25°C	8570	µS/cm
S41	8/04/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41	8/04/2025	Ionic Balance	0.66	%
S41	8/04/2025	Iron	0.20	mg/L
S41	8/04/2025	Magnesium	292	mg/L
S41	8/04/2025	Manganese	0.226	mg/L
S41	8/04/2025	Nickel	< 0.001	mg/L
S41	8/04/2025	Nitrate as N	0.14	mg/L
S41	8/04/2025	Nitrite	< 0.01	mg/L
S41	8/04/2025	Nitrite + Nitrate as N	0.14	mg/L
S41	8/04/2025	pH	7.74	pH Unit
S41	8/04/2025	Potassium	9	mg/L
S41	8/04/2025	Silver	< 0.001	mg/L
S41	8/04/2025	Sodium	1080	mg/L
S41	8/04/2025	Sulfate	174	mg/L
S41	8/04/2025	Sulfur as S	59	mg/L
S41	8/04/2025	TDS Calculation	5570	mg/L
S41	8/04/2025	Total Alkalinity as CaCO3	149	mg/L
S41	8/04/2025	Total Anions	82.2	meq/L
S41	8/04/2025	Total Cations	81.1	meq/L
S41	8/04/2025	Turbidity	2.0	NTU
S41	8/04/2025	Zinc	< 0.005	mg/L
S41	14/04/2025	Aluminium	0.02	mg/L
S41	14/04/2025	Bicarbonate Alkalinity as CaCO3	172	mg/L
S41	14/04/2025	Cadmium	< 0.0001	mg/L
S41	14/04/2025	Calcium	188	mg/L
S41	14/04/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41	14/04/2025	Chloride	2900	mg/L
S41	14/04/2025	Copper	< 0.001	mg/L
S41	14/04/2025	Electrical Conductivity @ 25°C	9320	µS/cm
S41	14/04/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41	14/04/2025	Ionic Balance	3.05	%
S41	14/04/2025	Iron	0.07	mg/L
S41	14/04/2025	Magnesium	302	mg/L
S41	14/04/2025	Manganese	0.139	mg/L
S41	14/04/2025	Nickel	< 0.001	mg/L
S41	14/04/2025	Nitrate as N	0.13	mg/L
S41	14/04/2025	Nitrite	0.01	mg/L
S41	14/04/2025	Nitrite + Nitrate as N	0.14	mg/L
S41	14/04/2025	pH	7.85	pH Unit
S41	14/04/2025	Potassium	11	mg/L
S41	14/04/2025	Silver	< 0.001	mg/L
S41	14/04/2025	Sodium	1140	mg/L
S41	14/04/2025	Sulfate	200	mg/L
S41	14/04/2025	Sulfur as S	58	mg/L
S41	14/04/2025	TDS Calculation	6060	mg/L
S41	14/04/2025	Total Alkalinity as CaCO3	172	mg/L
S41	14/04/2025	Total Anions	89.4	meq/L
S41	14/04/2025	Total Cations	84.1	meq/L
S41	14/04/2025	Turbidity	2.3	NTU
S41	14/04/2025	Zinc	< 0.005	mg/L
S41	23/04/2025	Aluminium	0.01	mg/L
S41	23/04/2025	Bicarbonate Alkalinity as CaCO3	186	mg/L

S41	23/04/2025	Cadmium	< 0.0001	mg/L
S41	23/04/2025	Calcium	180	mg/L
S41	23/04/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41	23/04/2025	Chloride	3230	mg/L
S41	23/04/2025	Copper	< 0.001	mg/L
S41	23/04/2025	Electrical Conductivity @ 25°C	9040	µS/cm
S41	23/04/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41	23/04/2025	Ionic Balance	1.55	%
S41	23/04/2025	Iron	0.28	mg/L
S41	23/04/2025	Magnesium	342	mg/L
S41	23/04/2025	Manganese	0.252	mg/L
S41	23/04/2025	Nickel	< 0.001	mg/L
S41	23/04/2025	Nitrate as N	0.18	mg/L
S41	23/04/2025	Nitrite	< 0.01	mg/L
S41	23/04/2025	Nitrite + Nitrate as N	0.18	mg/L
S41	23/04/2025	pH	7.81	pH Unit
S41	23/04/2025	Potassium	13	mg/L
S41	23/04/2025	Silver	< 0.001	mg/L
S41	23/04/2025	Sodium	1340	mg/L
S41	23/04/2025	Sulfate	189	mg/L
S41	23/04/2025	Sulfur as S	70	mg/L
S41	23/04/2025	TDS Calculation	5880	mg/L
S41	23/04/2025	Total Alkalinity as CaCO3	186	mg/L
S41	23/04/2025	Total Anions	98.8	meq/L
S41	23/04/2025	Total Cations	95.7	meq/L
S41	23/04/2025	Turbidity	2.7	NTU
S41	23/04/2025	Zinc	0.007	mg/L
S41	29/04/2025	Aluminium	0.07	mg/L
S41	29/04/2025	Bicarbonate Alkalinity as CaCO3	175	mg/L
S41	29/04/2025	Cadmium	< 0.0001	mg/L
S41	29/04/2025	Calcium	180	mg/L
S41	29/04/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41	29/04/2025	Chloride	3110	mg/L
S41	29/04/2025	Copper	< 0.001	mg/L
S41	29/04/2025	Electrical Conductivity @ 25°C	10100	µS/cm
S41	29/04/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41	29/04/2025	Ionic Balance	1.50	%
S41	29/04/2025	Iron	0.26	mg/L
S41	29/04/2025	Magnesium	327	mg/L
S41	29/04/2025	Manganese	0.161	mg/L
S41	29/04/2025	Nickel	< 0.001	mg/L
S41	29/04/2025	Nitrate as N	0.03	mg/L
S41	29/04/2025	Nitrite	< 0.01	mg/L
S41	29/04/2025	Nitrite + Nitrate as N	0.03	mg/L
S41	29/04/2025	pH	7.61	pH Unit
S41	29/04/2025	Potassium	8	mg/L
S41	29/04/2025	Silver	< 0.001	mg/L
S41	29/04/2025	Sodium	1430	mg/L
S41	29/04/2025	Sulfate	200	mg/L
S41	29/04/2025	Sulfur as S	70	mg/L
S41	29/04/2025	TDS Calculation	6560	mg/L
S41	29/04/2025	Total Alkalinity as CaCO3	175	mg/L
S41	29/04/2025	Total Anions	95.4	meq/L

S41	29/04/2025	Total Cations	98.3	meq/L
S41	29/04/2025	Turbidity	2.7	NTU
S41	29/04/2025	Zinc	0.010	mg/L
S41	6/05/2025	Aluminium	< 0.01	mg/L
S41	6/05/2025	Bicarbonate Alkalinity as CaCO3	177	mg/L
S41	6/05/2025	Cadmium	< 0.0001	mg/L
S41	6/05/2025	Calcium	173	mg/L
S41	6/05/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41	6/05/2025	Chloride	3290	mg/L
S41	6/05/2025	Copper	< 0.001	mg/L
S41	6/05/2025	Electrical Conductivity @ 25°C	10700	µS/cm
S41	6/05/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41	6/05/2025	Ionic Balance	1.16	%
S41	6/05/2025	Iron	0.27	mg/L
S41	6/05/2025	Magnesium	344	mg/L
S41	6/05/2025	Manganese	0.227	mg/L
S41	6/05/2025	Nickel	< 0.001	mg/L
S41	6/05/2025	Nitrate as N	0.17	mg/L
S41	6/05/2025	Nitrite	< 0.01	mg/L
S41	6/05/2025	Nitrite + Nitrate as N	0.17	mg/L
S41	6/05/2025	pH	7.81	pH Unit
S41	6/05/2025	Potassium	8	mg/L
S41	6/05/2025	Silver	< 0.001	mg/L
S41	6/05/2025	Sodium	1510	mg/L
S41	6/05/2025	Sulfate	198	mg/L
S41	6/05/2025	Sulfur as S	76	mg/L
S41	6/05/2025	TDS Calculation	6960	mg/L
S41	6/05/2025	Total Alkalinity as CaCO3	177	mg/L
S41	6/05/2025	Total Anions	100	meq/L
S41	6/05/2025	Total Cations	103	meq/L
S41	6/05/2025	Turbidity	3.6	NTU
S41	6/05/2025	Zinc	< 0.005	mg/L
S41	13/05/2025	Aluminium	< 0.01	mg/L
S41	13/05/2025	Bicarbonate Alkalinity as CaCO3	188	mg/L
S41	13/05/2025	Cadmium	< 0.0001	mg/L
S41	13/05/2025	Calcium	167	mg/L
S41	13/05/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41	13/05/2025	Chloride	4140	mg/L
S41	13/05/2025	Copper	< 0.001	mg/L
S41	13/05/2025	Electrical Conductivity @ 25°C	11400	µS/cm
S41	13/05/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41	13/05/2025	Ionic Balance	4.56	%
S41	13/05/2025	Iron	0.27	mg/L
S41	13/05/2025	Magnesium	373	mg/L
S41	13/05/2025	Manganese	0.156	mg/L
S41	13/05/2025	Nickel	< 0.001	mg/L
S41	13/05/2025	Nitrate as N	0.15	mg/L
S41	13/05/2025	Nitrite	< 0.01	mg/L
S41	13/05/2025	Nitrite + Nitrate as N	0.15	mg/L
S41	13/05/2025	pH	7.80	pH Unit
S41	13/05/2025	Potassium	9	mg/L
S41	13/05/2025	Silver	< 0.001	mg/L
S41	13/05/2025	Sodium	1710	mg/L

S41	13/05/2025	Sulfate	190	mg/L
S41	13/05/2025	Sulfur as S	74	mg/L
S41	13/05/2025	TDS Calculation	7410	mg/L
S41	13/05/2025	Total Alkalinity as CaCO3	188	mg/L
S41	13/05/2025	Total Anions	124	meq/L
S41	13/05/2025	Total Cations	114	meq/L
S41	13/05/2025	Turbidity	2.4	NTU
S41	13/05/2025	Zinc	< 0.005	mg/L
S41	20/05/2025	Aluminium	< 0.01	mg/L
S41	20/05/2025	Bicarbonate Alkalinity as CaCO3	193	mg/L
S41	20/05/2025	Cadmium	< 0.0001	mg/L
S41	20/05/2025	Calcium	175	mg/L
S41	20/05/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41	20/05/2025	Chloride	3850	mg/L
S41	20/05/2025	Copper	< 0.001	mg/L
S41	20/05/2025	Electrical Conductivity @ 25°C	11600	µS/cm
S41	20/05/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41	20/05/2025	Ionic Balance	3.84	%
S41	20/05/2025	Iron	0.22	mg/L
S41	20/05/2025	Magnesium	357	mg/L
S41	20/05/2025	Manganese	0.121	mg/L
S41	20/05/2025	Nickel	< 0.001	mg/L
S41	20/05/2025	Nitrate as N	0.16	mg/L
S41	20/05/2025	Nitrite	< 0.01	mg/L
S41	20/05/2025	Nitrite + Nitrate as N	0.16	mg/L
S41	20/05/2025	pH	7.65	pH Unit
S41	20/05/2025	Potassium	9	mg/L
S41	20/05/2025	Silver	< 0.001	mg/L
S41	20/05/2025	Sodium	1600	mg/L
S41	20/05/2025	Sulfate	197	mg/L
S41	20/05/2025	Sulfur as S	74	mg/L
S41	20/05/2025	TDS Calculation	7540	mg/L
S41	20/05/2025	Total Alkalinity as CaCO3	193	mg/L
S41	20/05/2025	Total Anions	116	meq/L
S41	20/05/2025	Total Cations	108	meq/L
S41	20/05/2025	Turbidity	2.4	NTU
S41	20/05/2025	Zinc	< 0.005	mg/L
S41	28/05/2025	Aluminium	0.03	mg/L
S41	28/05/2025	Bicarbonate Alkalinity as CaCO3	201	mg/L
S41	28/05/2025	Cadmium	< 0.0001	mg/L
S41	28/05/2025	Calcium	166	mg/L
S41	28/05/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41	28/05/2025	Chloride	3800	mg/L
S41	28/05/2025	Copper	< 0.001	mg/L
S41	28/05/2025	Electrical Conductivity @ 25°C	12100	µS/cm
S41	28/05/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41	28/05/2025	Ionic Balance	2.54	%
S41	28/05/2025	Iron	0.27	mg/L
S41	28/05/2025	Magnesium	369	mg/L
S41	28/05/2025	Manganese	0.090	mg/L
S41	28/05/2025	Nickel	< 0.001	mg/L
S41	28/05/2025	Nitrate as N	0.14	mg/L
S41	28/05/2025	Nitrite	< 0.01	mg/L

S41	28/05/2025	Nitrite + Nitrate as N	0.14	mg/L
S41	28/05/2025	pH	7.85	pH Unit
S41	28/05/2025	Potassium	9	mg/L
S41	28/05/2025	Silver	< 0.001	mg/L
S41	28/05/2025	Sodium	1630	mg/L
S41	28/05/2025	Sulfate	207	mg/L
S41	28/05/2025	Sulfur as S	77	mg/L
S41	28/05/2025	TDS Calculation	7860	mg/L
S41	28/05/2025	Total Alkalinity as CaCO3	201	mg/L
S41	28/05/2025	Total Anions	116	meq/L
S41	28/05/2025	Total Cations	110	meq/L
S41	28/05/2025	Turbidity	3.5	NTU
S41	28/05/2025	Zinc	< 0.005	mg/L
S41	2/06/2025	Aluminium	0.02	mg/L
S41	2/06/2025	Bicarbonate Alkalinity as CaCO3	194	mg/L
S41	2/06/2025	Cadmium	< 0.0001	mg/L
S41	2/06/2025	Calcium	164	mg/L
S41	2/06/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41	2/06/2025	Chloride	3980	mg/L
S41	2/06/2025	Copper	< 0.001	mg/L
S41	2/06/2025	Electrical Conductivity @ 25°C	11300	µS/cm
S41	2/06/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41	2/06/2025	Ionic Balance	3.11	%
S41	2/06/2025	Iron	0.33	mg/L
S41	2/06/2025	Magnesium	359	mg/L
S41	2/06/2025	Manganese	0.139	mg/L
S41	2/06/2025	Nickel	< 0.001	mg/L
S41	2/06/2025	Nitrate as N	0.15	mg/L
S41	2/06/2025	Nitrite	< 0.01	mg/L
S41	2/06/2025	Nitrite + Nitrate as N	0.15	mg/L
S41	2/06/2025	pH	7.57	pH Unit
S41	2/06/2025	Potassium	8	mg/L
S41	2/06/2025	Silver	< 0.001	mg/L
S41	2/06/2025	Sodium	1730	mg/L
S41	2/06/2025	Sulfate	207	mg/L
S41	2/06/2025	Sulfur as S	80	mg/L
S41	2/06/2025	TDS Calculation	7340	mg/L
S41	2/06/2025	Total Alkalinity as CaCO3	194	mg/L
S41	2/06/2025	Total Anions	120	meq/L
S41	2/06/2025	Total Cations	113	meq/L
S41	2/06/2025	Turbidity	3.5	NTU
S41	2/06/2025	Zinc	< 0.005	mg/L
S41	12/06/2025	Aluminium	0.01	mg/L
S41	12/06/2025	Bicarbonate Alkalinity as CaCO3	200	mg/L
S41	12/06/2025	Cadmium	< 0.0001	mg/L
S41	12/06/2025	Calcium	156	mg/L
S41	12/06/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41	12/06/2025	Chloride	3590	mg/L
S41	12/06/2025	Copper	0.001	mg/L
S41	12/06/2025	Electrical Conductivity @ 25°C	11600	µS/cm
S41	12/06/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41	12/06/2025	Ionic Balance	1.26	%
S41	12/06/2025	Iron	0.16	mg/L

S41	12/06/2025	Magnesium	385	mg/L
S41	12/06/2025	Manganese	0.052	mg/L
S41	12/06/2025	Nickel	< 0.001	mg/L
S41	12/06/2025	Nitrate as N	0.09	mg/L
S41	12/06/2025	Nitrite	< 0.01	mg/L
S41	12/06/2025	Nitrite + Nitrate as N	0.09	mg/L
S41	12/06/2025	pH	7.91	pH Unit
S41	12/06/2025	Potassium	10	mg/L
S41	12/06/2025	Silver	< 0.001	mg/L
S41	12/06/2025	Sodium	1690	mg/L
S41	12/06/2025	Sulfate	248	mg/L
S41	12/06/2025	Sulfur as S	81	mg/L
S41	12/06/2025	TDS Calculation	7540	mg/L
S41	12/06/2025	Total Alkalinity as CaCO3	200	mg/L
S41	12/06/2025	Total Anions	110	meq/L
S41	12/06/2025	Total Cations	113	meq/L
S41	12/06/2025	Turbidity	1.7	NTU
S41	12/06/2025	Zinc	0.022	mg/L
S41	18/06/2025	Aluminium	0.03	mg/L
S41	18/06/2025	Bicarbonate Alkalinity as CaCO3	211	mg/L
S41	18/06/2025	Cadmium	< 0.0001	mg/L
S41	18/06/2025	Calcium	175	mg/L
S41	18/06/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41	18/06/2025	Chloride	4930	mg/L
S41	18/06/2025	Copper	< 0.001	mg/L
S41	18/06/2025	Electrical Conductivity @ 25°C	14800	µS/cm
S41	18/06/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41	18/06/2025	Ionic Balance	2.73	%
S41	18/06/2025	Iron	0.17	mg/L
S41	18/06/2025	Magnesium	456	mg/L
S41	18/06/2025	Manganese	0.058	mg/L
S41	18/06/2025	Nickel	< 0.001	mg/L
S41	18/06/2025	Nitrate as N	0.05	mg/L
S41	18/06/2025	Nitrite	< 0.01	mg/L
S41	18/06/2025	Nitrite + Nitrate as N	0.05	mg/L
S41	18/06/2025	pH	8.04	pH Unit
S41	18/06/2025	Potassium	11	mg/L
S41	18/06/2025	Silver	< 0.001	mg/L
S41	18/06/2025	Sodium	2180	mg/L
S41	18/06/2025	Sulfate	289	mg/L
S41	18/06/2025	Sulfur as S	101	mg/L
S41	18/06/2025	TDS Calculation	9620	mg/L
S41	18/06/2025	Total Alkalinity as CaCO3	211	mg/L
S41	18/06/2025	Total Anions	149	meq/L
S41	18/06/2025	Total Cations	141	meq/L
S41	18/06/2025	Turbidity	1.4	NTU
S41	18/06/2025	Zinc	< 0.005	mg/L
S41	25/06/2025	Aluminium	0.03	mg/L
S41	25/06/2025	Bicarbonate Alkalinity as CaCO3	193	mg/L
S41	25/06/2025	Cadmium	< 0.0001	mg/L
S41	25/06/2025	Calcium	188	mg/L
S41	25/06/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41	25/06/2025	Chloride	5720	mg/L

S41	25/06/2025	Copper	< 0.001	mg/L
S41	25/06/2025	Electrical Conductivity @ 25°C	15700	µS/cm
S41	25/06/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41	25/06/2025	Ionic Balance	4.48	%
S41	25/06/2025	Iron	0.26	mg/L
S41	25/06/2025	Magnesium	531	mg/L
S41	25/06/2025	Manganese	0.063	mg/L
S41	25/06/2025	Nickel	< 0.001	mg/L
S41	25/06/2025	Nitrate as N	0.14	mg/L
S41	25/06/2025	Nitrite	0.01	mg/L
S41	25/06/2025	Nitrite + Nitrate as N	0.15	mg/L
S41	25/06/2025	pH	7.91	pH Unit
S41	25/06/2025	Potassium	13	mg/L
S41	25/06/2025	Silver	< 0.001	mg/L
S41	25/06/2025	Sodium	2390	mg/L
S41	25/06/2025	Sulfate	333	mg/L
S41	25/06/2025	Sulfur as S	129	mg/L
S41	25/06/2025	TDS Calculation	10200	mg/L
S41	25/06/2025	Total Alkalinity as CaCO3	193	mg/L
S41	25/06/2025	Total Anions	172	meq/L
S41	25/06/2025	Total Cations	157	meq/L
S41	25/06/2025	Turbidity	2.4	NTU
S41	25/06/2025	Zinc	< 0.005	mg/L
S41A	13/03/2025	Aluminium	0.06	mg/L
S41A	13/03/2025	Bicarbonate Alkalinity as CaCO3	183	mg/L
S41A	13/03/2025	Cadmium	< 0.0001	mg/L
S41A	13/03/2025	Calcium	223	mg/L
S41A	13/03/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41A	13/03/2025	Chloride	3280	mg/L
S41A	13/03/2025	Copper	< 0.001	mg/L
S41A	13/03/2025	Electrical Conductivity @ 25°C	10700	µS/cm
S41A	13/03/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41A	13/03/2025	Ionic Balance	1.76	%
S41A	13/03/2025	Iron	0.40	mg/L
S41A	13/03/2025	Magnesium	390	mg/L
S41A	13/03/2025	Manganese	0.405	mg/L
S41A	13/03/2025	Nickel	< 0.001	mg/L
S41A	13/03/2025	Nitrate as N	< 0.01	mg/L
S41A	13/03/2025	Nitrite	< 0.01	mg/L
S41A	13/03/2025	Nitrite + Nitrate as N	< 0.01	mg/L
S41A	13/03/2025	pH	8.02	pH Unit
S41A	13/03/2025	Potassium	14	mg/L
S41A	13/03/2025	Silver	< 0.001	mg/L
S41A	13/03/2025	Sodium	1370	mg/L
S41A	13/03/2025	Sulfate	164	mg/L
S41A	13/03/2025	Sulfur as S	61	mg/L
S41A	13/03/2025	TDS Calculation	6960	mg/L
S41A	13/03/2025	Total Alkalinity as CaCO3	183	mg/L
S41A	13/03/2025	Total Anions	99.6	meq/L
S41A	13/03/2025	Total Cations	103	meq/L
S41A	13/03/2025	Turbidity	1.1	NTU
S41A	13/03/2025	Zinc	< 0.005	mg/L
S41A	27/03/2025	Aluminium	0.02	mg/L

S41A	27/03/2025	Bicarbonate Alkalinity as CaCO3	206	mg/L
S41A	27/03/2025	Cadmium	< 0.0001	mg/L
S41A	27/03/2025	Calcium	189	mg/L
S41A	27/03/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41A	27/03/2025	Chloride	3560	mg/L
S41A	27/03/2025	Copper	< 0.001	mg/L
S41A	27/03/2025	Electrical Conductivity @ 25°C	11800	µS/cm
S41A	27/03/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41A	27/03/2025	Ionic Balance	2.66	%
S41A	27/03/2025	Iron	0.26	mg/L
S41A	27/03/2025	Magnesium	412	mg/L
S41A	27/03/2025	Manganese	0.321	mg/L
S41A	27/03/2025	Nickel	< 0.001	mg/L
S41A	27/03/2025	Nitrate as N	0.04	mg/L
S41A	27/03/2025	Nitrite	< 0.01	mg/L
S41A	27/03/2025	Nitrite + Nitrate as N	0.04	mg/L
S41A	27/03/2025	pH	7.91	pH Unit
S41A	27/03/2025	Potassium	17	mg/L
S41A	27/03/2025	Silver	< 0.001	mg/L
S41A	27/03/2025	Sodium	1640	mg/L
S41A	27/03/2025	Sulfate	221	mg/L
S41A	27/03/2025	Sulfur as S	91	mg/L
S41A	27/03/2025	TDS Calculation	7670	mg/L
S41A	27/03/2025	Total Alkalinity as CaCO3	206	mg/L
S41A	27/03/2025	Total Anions	109	meq/L
S41A	27/03/2025	Total Cations	115	meq/L
S41A	27/03/2025	Turbidity	2.6	NTU
S41A	27/03/2025	Zinc	0.009	mg/L
S41A	4/04/2025	Aluminium	0.02	mg/L
S41A	4/04/2025	Bicarbonate Alkalinity as CaCO3	222	mg/L
S41A	4/04/2025	Cadmium	< 0.0001	mg/L
S41A	4/04/2025	Calcium	177	mg/L
S41A	4/04/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41A	4/04/2025	Chloride	3480	mg/L
S41A	4/04/2025	Copper	< 0.001	mg/L
S41A	4/04/2025	Electrical Conductivity @ 25°C	11700	µS/cm
S41A	4/04/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41A	4/04/2025	Ionic Balance	0.33	%
S41A	4/04/2025	Iron	0.15	mg/L
S41A	4/04/2025	Magnesium	393	mg/L
S41A	4/04/2025	Manganese	0.183	mg/L
S41A	4/04/2025	Nickel	< 0.001	mg/L
S41A	4/04/2025	Nitrate as N	< 0.01	mg/L
S41A	4/04/2025	Nitrite	< 0.01	mg/L
S41A	4/04/2025	Nitrite + Nitrate as N	< 0.01	mg/L
S41A	4/04/2025	pH	8.09	pH Unit
S41A	4/04/2025	Potassium	15	mg/L
S41A	4/04/2025	Silver	< 0.001	mg/L
S41A	4/04/2025	Sodium	1500	mg/L
S41A	4/04/2025	Sulfate	236	mg/L
S41A	4/04/2025	Sulfur as S	86	mg/L
S41A	4/04/2025	TDS Calculation	7600	mg/L
S41A	4/04/2025	Total Alkalinity as CaCO3	222	mg/L

S41A	4/04/2025	Total Anions	108	meq/L
S41A	4/04/2025	Total Cations	107	meq/L
S41A	4/04/2025	Turbidity	2.5	NTU
S41A	4/04/2025	Zinc	< 0.005	mg/L
S41A	8/04/2025	Aluminium	< 0.01	mg/L
S41A	8/04/2025	Bicarbonate Alkalinity as CaCO3	218	mg/L
S41A	8/04/2025	Cadmium	< 0.0001	mg/L
S41A	8/04/2025	Calcium	182	mg/L
S41A	8/04/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41A	8/04/2025	Chloride	4140	mg/L
S41A	8/04/2025	Copper	0.002	mg/L
S41A	8/04/2025	Electrical Conductivity @ 25°C	11600	µS/cm
S41A	8/04/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41A	8/04/2025	Ionic Balance	7.96	%
S41A	8/04/2025	Iron	0.32	mg/L
S41A	8/04/2025	Magnesium	394	mg/L
S41A	8/04/2025	Manganese	0.163	mg/L
S41A	8/04/2025	Nickel	< 0.001	mg/L
S41A	8/04/2025	Nitrate as N	0.01	mg/L
S41A	8/04/2025	Nitrite	< 0.01	mg/L
S41A	8/04/2025	Nitrite + Nitrate as N	0.01	mg/L
S41A	8/04/2025	pH	8.05	pH Unit
S41A	8/04/2025	Potassium	14	mg/L
S41A	8/04/2025	Silver	< 0.001	mg/L
S41A	8/04/2025	Sodium	1510	mg/L
S41A	8/04/2025	Sulfate	241	mg/L
S41A	8/04/2025	Sulfur as S	82	mg/L
S41A	8/04/2025	TDS Calculation	7540	mg/L
S41A	8/04/2025	Total Alkalinity as CaCO3	218	mg/L
S41A	8/04/2025	Total Anions	126	meq/L
S41A	8/04/2025	Total Cations	108	meq/L
S41A	8/04/2025	Turbidity	3.0	NTU
S41A	8/04/2025	Zinc	< 0.005	mg/L
S41A	14/04/2025	Aluminium	< 0.01	mg/L
S41A	14/04/2025	Bicarbonate Alkalinity as CaCO3	184	mg/L
S41A	14/04/2025	Cadmium	< 0.0001	mg/L
S41A	14/04/2025	Calcium	170	mg/L
S41A	14/04/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41A	14/04/2025	Chloride	3730	mg/L
S41A	14/04/2025	Copper	< 0.001	mg/L
S41A	14/04/2025	Electrical Conductivity @ 25°C	11900	µS/cm
S41A	14/04/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41A	14/04/2025	Ionic Balance	3.34	%
S41A	14/04/2025	Iron	0.21	mg/L
S41A	14/04/2025	Magnesium	386	mg/L
S41A	14/04/2025	Manganese	0.306	mg/L
S41A	14/04/2025	Nickel	< 0.001	mg/L
S41A	14/04/2025	Nitrate as N	0.02	mg/L
S41A	14/04/2025	Nitrite	< 0.01	mg/L
S41A	14/04/2025	Nitrite + Nitrate as N	0.02	mg/L
S41A	14/04/2025	pH	8.09	pH Unit
S41A	14/04/2025	Potassium	15	mg/L
S41A	14/04/2025	Silver	< 0.001	mg/L

S41A	14/04/2025	Sodium	1520	mg/L
S41A	14/04/2025	Sulfate	252	mg/L
S41A	14/04/2025	Sulfur as S	75	mg/L
S41A	14/04/2025	TDS Calculation	7740	mg/L
S41A	14/04/2025	Total Alkalinity as CaCO3	184	mg/L
S41A	14/04/2025	Total Anions	114	meq/L
S41A	14/04/2025	Total Cations	107	meq/L
S41A	14/04/2025	Turbidity	3.0	NTU
S41A	14/04/2025	Zinc	< 0.005	mg/L
S41A	23/04/2025	Aluminium	< 0.01	mg/L
S41A	23/04/2025	Bicarbonate Alkalinity as CaCO3	231	mg/L
S41A	23/04/2025	Cadmium	< 0.0001	mg/L
S41A	23/04/2025	Calcium	161	mg/L
S41A	23/04/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41A	23/04/2025	Chloride	3880	mg/L
S41A	23/04/2025	Copper	< 0.001	mg/L
S41A	23/04/2025	Electrical Conductivity @ 25°C	11000	µS/cm
S41A	23/04/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41A	23/04/2025	Ionic Balance	0.34	%
S41A	23/04/2025	Iron	0.34	mg/L
S41A	23/04/2025	Magnesium	411	mg/L
S41A	23/04/2025	Manganese	0.142	mg/L
S41A	23/04/2025	Nickel	< 0.001	mg/L
S41A	23/04/2025	Nitrate as N	0.03	mg/L
S41A	23/04/2025	Nitrite	< 0.01	mg/L
S41A	23/04/2025	Nitrite + Nitrate as N	0.03	mg/L
S41A	23/04/2025	pH	8.06	pH Unit
S41A	23/04/2025	Potassium	16	mg/L
S41A	23/04/2025	Silver	< 0.001	mg/L
S41A	23/04/2025	Sodium	1740	mg/L
S41A	23/04/2025	Sulfate	226	mg/L
S41A	23/04/2025	Sulfur as S	82	mg/L
S41A	23/04/2025	TDS Calculation	7150	mg/L
S41A	23/04/2025	Total Alkalinity as CaCO3	231	mg/L
S41A	23/04/2025	Total Anions	119	meq/L
S41A	23/04/2025	Total Cations	118	meq/L
S41A	23/04/2025	Turbidity	3.0	NTU
S41A	23/04/2025	Zinc	0.043	mg/L
S41A	29/04/2025	Aluminium	0.09	mg/L
S41A	29/04/2025	Bicarbonate Alkalinity as CaCO3	216	mg/L
S41A	29/04/2025	Cadmium	< 0.0001	mg/L
S41A	29/04/2025	Calcium	165	mg/L
S41A	29/04/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41A	29/04/2025	Chloride	3880	mg/L
S41A	29/04/2025	Copper	< 0.001	mg/L
S41A	29/04/2025	Electrical Conductivity @ 25°C	12600	µS/cm
S41A	29/04/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41A	29/04/2025	Ionic Balance	2.36	%
S41A	29/04/2025	Iron	0.41	mg/L
S41A	29/04/2025	Magnesium	404	mg/L
S41A	29/04/2025	Manganese	0.107	mg/L
S41A	29/04/2025	Nickel	< 0.001	mg/L
S41A	29/04/2025	Nitrate as N	0.20	mg/L

S41A	29/04/2025	Nitrite	< 0.01	mg/L
S41A	29/04/2025	Nitrite + Nitrate as N	0.20	mg/L
S41A	29/04/2025	pH	7.92	pH Unit
S41A	29/04/2025	Potassium	10	mg/L
S41A	29/04/2025	Silver	< 0.001	mg/L
S41A	29/04/2025	Sodium	1900	mg/L
S41A	29/04/2025	Sulfate	235	mg/L
S41A	29/04/2025	Sulfur as S	86	mg/L
S41A	29/04/2025	TDS Calculation	8190	mg/L
S41A	29/04/2025	Total Alkalinity as CaCO3	216	mg/L
S41A	29/04/2025	Total Anions	119	meq/L
S41A	29/04/2025	Total Cations	124	meq/L
S41A	29/04/2025	Turbidity	3.0	NTU
S41A	29/04/2025	Zinc	< 0.005	mg/L
S41A	6/05/2025	Aluminium	0.02	mg/L
S41A	6/05/2025	Bicarbonate Alkalinity as CaCO3	216	mg/L
S41A	6/05/2025	Cadmium	< 0.0001	mg/L
S41A	6/05/2025	Calcium	162	mg/L
S41A	6/05/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41A	6/05/2025	Chloride	3890	mg/L
S41A	6/05/2025	Copper	< 0.001	mg/L
S41A	6/05/2025	Electrical Conductivity @ 25°C	12800	µS/cm
S41A	6/05/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41A	6/05/2025	Ionic Balance	2.43	%
S41A	6/05/2025	Iron	0.27	mg/L
S41A	6/05/2025	Magnesium	411	mg/L
S41A	6/05/2025	Manganese	0.125	mg/L
S41A	6/05/2025	Nickel	< 0.001	mg/L
S41A	6/05/2025	Nitrate as N	0.02	mg/L
S41A	6/05/2025	Nitrite	< 0.01	mg/L
S41A	6/05/2025	Nitrite + Nitrate as N	0.02	mg/L
S41A	6/05/2025	pH	8.04	pH Unit
S41A	6/05/2025	Potassium	10	mg/L
S41A	6/05/2025	Silver	< 0.001	mg/L
S41A	6/05/2025	Sodium	1900	mg/L
S41A	6/05/2025	Sulfate	233	mg/L
S41A	6/05/2025	Sulfur as S	89	mg/L
S41A	6/05/2025	TDS Calculation	8320	mg/L
S41A	6/05/2025	Total Alkalinity as CaCO3	216	mg/L
S41A	6/05/2025	Total Anions	119	meq/L
S41A	6/05/2025	Total Cations	125	meq/L
S41A	6/05/2025	Turbidity	2.5	NTU
S41A	6/05/2025	Zinc	< 0.005	mg/L
S41A	13/05/2025	Aluminium	< 0.01	mg/L
S41A	13/05/2025	Bicarbonate Alkalinity as CaCO3	217	mg/L
S41A	13/05/2025	Cadmium	< 0.0001	mg/L
S41A	13/05/2025	Calcium	157	mg/L
S41A	13/05/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41A	13/05/2025	Chloride	4840	mg/L
S41A	13/05/2025	Copper	< 0.001	mg/L
S41A	13/05/2025	Electrical Conductivity @ 25°C	13200	µS/cm
S41A	13/05/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41A	13/05/2025	Ionic Balance	6.04	%

S41A	13/05/2025	Iron	0.32	mg/L
S41A	13/05/2025	Magnesium	420	mg/L
S41A	13/05/2025	Manganese	0.110	mg/L
S41A	13/05/2025	Nickel	< 0.001	mg/L
S41A	13/05/2025	Nitrate as N	0.03	mg/L
S41A	13/05/2025	Nitrite	< 0.01	mg/L
S41A	13/05/2025	Nitrite + Nitrate as N	0.03	mg/L
S41A	13/05/2025	pH	8.05	pH Unit
S41A	13/05/2025	Potassium	11	mg/L
S41A	13/05/2025	Silver	< 0.001	mg/L
S41A	13/05/2025	Sodium	1980	mg/L
S41A	13/05/2025	Sulfate	216	mg/L
S41A	13/05/2025	Sulfur as S	84	mg/L
S41A	13/05/2025	TDS Calculation	8580	mg/L
S41A	13/05/2025	Total Alkalinity as CaCO3	217	mg/L
S41A	13/05/2025	Total Anions	145	meq/L
S41A	13/05/2025	Total Cations	129	meq/L
S41A	13/05/2025	Turbidity	2.6	NTU
S41A	13/05/2025	Zinc	< 0.005	mg/L
S41A	20/05/2025	Aluminium	< 0.01	mg/L
S41A	20/05/2025	Bicarbonate Alkalinity as CaCO3	227	mg/L
S41A	20/05/2025	Cadmium	< 0.0001	mg/L
S41A	20/05/2025	Calcium	166	mg/L
S41A	20/05/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41A	20/05/2025	Chloride	4360	mg/L
S41A	20/05/2025	Copper	< 0.001	mg/L
S41A	20/05/2025	Electrical Conductivity @ 25°C	13100	µS/cm
S41A	20/05/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41A	20/05/2025	Ionic Balance	2.94	%
S41A	20/05/2025	Iron	0.33	mg/L
S41A	20/05/2025	Magnesium	412	mg/L
S41A	20/05/2025	Manganese	0.085	mg/L
S41A	20/05/2025	Nickel	< 0.001	mg/L
S41A	20/05/2025	Nitrate as N	0.01	mg/L
S41A	20/05/2025	Nitrite	< 0.01	mg/L
S41A	20/05/2025	Nitrite + Nitrate as N	0.01	mg/L
S41A	20/05/2025	pH	7.95	pH Unit
S41A	20/05/2025	Potassium	10	mg/L
S41A	20/05/2025	Silver	< 0.001	mg/L
S41A	20/05/2025	Sodium	1890	mg/L
S41A	20/05/2025	Sulfate	225	mg/L
S41A	20/05/2025	Sulfur as S	83	mg/L
S41A	20/05/2025	TDS Calculation	8520	mg/L
S41A	20/05/2025	Total Alkalinity as CaCO3	227	mg/L
S41A	20/05/2025	Total Anions	132	meq/L
S41A	20/05/2025	Total Cations	125	meq/L
S41A	20/05/2025	Turbidity	3.6	NTU
S41A	20/05/2025	Zinc	< 0.005	mg/L
S41A	28/05/2025	Aluminium	< 0.01	mg/L
S41A	28/05/2025	Bicarbonate Alkalinity as CaCO3	232	mg/L
S41A	28/05/2025	Cadmium	< 0.0001	mg/L
S41A	28/05/2025	Calcium	165	mg/L
S41A	28/05/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L

S41A	28/05/2025	Chloride	4260	mg/L
S41A	28/05/2025	Copper	< 0.001	mg/L
S41A	28/05/2025	Electrical Conductivity @ 25°C	13300	µS/cm
S41A	28/05/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41A	28/05/2025	Ionic Balance	1.85	%
S41A	28/05/2025	Iron	0.28	mg/L
S41A	28/05/2025	Magnesium	420	mg/L
S41A	28/05/2025	Manganese	0.067	mg/L
S41A	28/05/2025	Nickel	< 0.001	mg/L
S41A	28/05/2025	Nitrate as N	0.04	mg/L
S41A	28/05/2025	Nitrite	< 0.01	mg/L
S41A	28/05/2025	Nitrite + Nitrate as N	0.04	mg/L
S41A	28/05/2025	pH	8.05	pH Unit
S41A	28/05/2025	Potassium	10	mg/L
S41A	28/05/2025	Silver	< 0.001	mg/L
S41A	28/05/2025	Sodium	1880	mg/L
S41A	28/05/2025	Sulfate	227	mg/L
S41A	28/05/2025	Sulfur as S	85	mg/L
S41A	28/05/2025	TDS Calculation	8640	mg/L
S41A	28/05/2025	Total Alkalinity as CaCO3	232	mg/L
S41A	28/05/2025	Total Anions	130	meq/L
S41A	28/05/2025	Total Cations	125	meq/L
S41A	28/05/2025	Turbidity	2.4	NTU
S41A	28/05/2025	Zinc	< 0.005	mg/L
S41A	2/06/2025	Aluminium	0.02	mg/L
S41A	2/06/2025	Bicarbonate Alkalinity as CaCO3	214	mg/L
S41A	2/06/2025	Cadmium	< 0.0001	mg/L
S41A	2/06/2025	Calcium	148	mg/L
S41A	2/06/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41A	2/06/2025	Chloride	4330	mg/L
S41A	2/06/2025	Copper	< 0.001	mg/L
S41A	2/06/2025	Electrical Conductivity @ 25°C	12500	µS/cm
S41A	2/06/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41A	2/06/2025	Ionic Balance	2.95	%
S41A	2/06/2025	Iron	0.32	mg/L
S41A	2/06/2025	Magnesium	399	mg/L
S41A	2/06/2025	Manganese	0.103	mg/L
S41A	2/06/2025	Nickel	< 0.001	mg/L
S41A	2/06/2025	Nitrate as N	0.02	mg/L
S41A	2/06/2025	Nitrite	< 0.01	mg/L
S41A	2/06/2025	Nitrite + Nitrate as N	0.02	mg/L
S41A	2/06/2025	pH	7.81	pH Unit
S41A	2/06/2025	Potassium	10	mg/L
S41A	2/06/2025	Silver	< 0.001	mg/L
S41A	2/06/2025	Sodium	1910	mg/L
S41A	2/06/2025	Sulfate	223	mg/L
S41A	2/06/2025	Sulfur as S	86	mg/L
S41A	2/06/2025	TDS Calculation	8120	mg/L
S41A	2/06/2025	Total Alkalinity as CaCO3	214	mg/L
S41A	2/06/2025	Total Anions	131	meq/L
S41A	2/06/2025	Total Cations	124	meq/L
S41A	2/06/2025	Turbidity	4.5	NTU
S41A	2/06/2025	Zinc	< 0.005	mg/L

S41A	12/06/2025	Aluminium	0.02	mg/L
S41A	12/06/2025	Bicarbonate Alkalinity as CaCO3	202	mg/L
S41A	12/06/2025	Cadmium	< 0.0001	mg/L
S41A	12/06/2025	Calcium	158	mg/L
S41A	12/06/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41A	12/06/2025	Chloride	3680	mg/L
S41A	12/06/2025	Copper	< 0.001	mg/L
S41A	12/06/2025	Electrical Conductivity @ 25°C	11800	µS/cm
S41A	12/06/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41A	12/06/2025	Ionic Balance	0.68	%
S41A	12/06/2025	Iron	0.18	mg/L
S41A	12/06/2025	Magnesium	385	mg/L
S41A	12/06/2025	Manganese	0.063	mg/L
S41A	12/06/2025	Nickel	< 0.001	mg/L
S41A	12/06/2025	Nitrate as N	0.08	mg/L
S41A	12/06/2025	Nitrite	< 0.01	mg/L
S41A	12/06/2025	Nitrite + Nitrate as N	0.08	mg/L
S41A	12/06/2025	pH	7.93	pH Unit
S41A	12/06/2025	Potassium	10	mg/L
S41A	12/06/2025	Silver	< 0.001	mg/L
S41A	12/06/2025	Sodium	1720	mg/L
S41A	12/06/2025	Sulfate	252	mg/L
S41A	12/06/2025	Sulfur as S	82	mg/L
S41A	12/06/2025	TDS Calculation	7670	mg/L
S41A	12/06/2025	Total Alkalinity as CaCO3	202	mg/L
S41A	12/06/2025	Total Anions	113	meq/L
S41A	12/06/2025	Total Cations	115	meq/L
S41A	12/06/2025	Turbidity	1.8	NTU
S41A	12/06/2025	Zinc	< 0.005	mg/L
S41A	18/06/2025	Aluminium	0.01	mg/L
S41A	18/06/2025	Bicarbonate Alkalinity as CaCO3	223	mg/L
S41A	18/06/2025	Cadmium	< 0.0001	mg/L
S41A	18/06/2025	Calcium	169	mg/L
S41A	18/06/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41A	18/06/2025	Chloride	5020	mg/L
S41A	18/06/2025	Copper	< 0.001	mg/L
S41A	18/06/2025	Electrical Conductivity @ 25°C	15200	µS/cm
S41A	18/06/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41A	18/06/2025	Ionic Balance	2.25	%
S41A	18/06/2025	Iron	0.14	mg/L
S41A	18/06/2025	Magnesium	468	mg/L
S41A	18/06/2025	Manganese	0.058	mg/L
S41A	18/06/2025	Nickel	< 0.001	mg/L
S41A	18/06/2025	Nitrate as N	0.02	mg/L
S41A	18/06/2025	Nitrite	< 0.01	mg/L
S41A	18/06/2025	Nitrite + Nitrate as N	0.02	mg/L
S41A	18/06/2025	pH	8.07	pH Unit
S41A	18/06/2025	Potassium	12	mg/L
S41A	18/06/2025	Silver	< 0.001	mg/L
S41A	18/06/2025	Sodium	2260	mg/L
S41A	18/06/2025	Sulfate	298	mg/L
S41A	18/06/2025	Sulfur as S	105	mg/L
S41A	18/06/2025	TDS Calculation	9880	mg/L

S41A	18/06/2025	Total Alkalinity as CaCO3	223	mg/L
S41A	18/06/2025	Total Anions	152	meq/L
S41A	18/06/2025	Total Cations	146	meq/L
S41A	18/06/2025	Turbidity	1.3	NTU
S41A	18/06/2025	Zinc	< 0.005	mg/L
S41A	25/06/2025	Aluminium	0.01	mg/L
S41A	25/06/2025	Bicarbonate Alkalinity as CaCO3	198	mg/L
S41A	25/06/2025	Cadmium	< 0.0001	mg/L
S41A	25/06/2025	Calcium	183	mg/L
S41A	25/06/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41A	25/06/2025	Chloride	5920	mg/L
S41A	25/06/2025	Copper	< 0.001	mg/L
S41A	25/06/2025	Electrical Conductivity @ 25°C	15800	µS/cm
S41A	25/06/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41A	25/06/2025	Ionic Balance	6.08	%
S41A	25/06/2025	Iron	0.22	mg/L
S41A	25/06/2025	Magnesium	530	mg/L
S41A	25/06/2025	Manganese	0.053	mg/L
S41A	25/06/2025	Nickel	< 0.001	mg/L
S41A	25/06/2025	Nitrate as N	0.13	mg/L
S41A	25/06/2025	Nitrite	< 0.01	mg/L
S41A	25/06/2025	Nitrite + Nitrate as N	0.13	mg/L
S41A	25/06/2025	pH	7.94	pH Unit
S41A	25/06/2025	Potassium	13	mg/L
S41A	25/06/2025	Silver	< 0.001	mg/L
S41A	25/06/2025	Sodium	2400	mg/L
S41A	25/06/2025	Sulfate	333	mg/L
S41A	25/06/2025	Sulfur as S	128	mg/L
S41A	25/06/2025	TDS Calculation	10300	mg/L
S41A	25/06/2025	Total Alkalinity as CaCO3	198	mg/L
S41A	25/06/2025	Total Anions	178	meq/L
S41A	25/06/2025	Total Cations	157	meq/L
S41A	25/06/2025	Turbidity	2.6	NTU
S41A	25/06/2025	Zinc	< 0.005	mg/L
S41B	13/03/2025	Aluminium	0.03	mg/L
S41B	13/03/2025	Bicarbonate Alkalinity as CaCO3	109	mg/L
S41B	13/03/2025	Cadmium	< 0.0001	mg/L
S41B	13/03/2025	Calcium	166	mg/L
S41B	13/03/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41B	13/03/2025	Chloride	2120	mg/L
S41B	13/03/2025	Copper	< 0.001	mg/L
S41B	13/03/2025	Electrical Conductivity @ 25°C	6360	µS/cm
S41B	13/03/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41B	13/03/2025	Ionic Balance	4.35	%
S41B	13/03/2025	Iron	0.43	mg/L
S41B	13/03/2025	Magnesium	200	mg/L
S41B	13/03/2025	Manganese	0.447	mg/L
S41B	13/03/2025	Nickel	< 0.001	mg/L
S41B	13/03/2025	Nitrate as N	0.46	mg/L
S41B	13/03/2025	Nitrite	0.01	mg/L
S41B	13/03/2025	Nitrite + Nitrate as N	0.47	mg/L
S41B	13/03/2025	pH	7.64	pH Unit
S41B	13/03/2025	Potassium	8	mg/L

S41B	13/03/2025	Silver	< 0.001	mg/L
S41B	13/03/2025	Sodium	787	mg/L
S41B	13/03/2025	Sulfate	124	mg/L
S41B	13/03/2025	Sulfur as S	44	mg/L
S41B	13/03/2025	TDS Calculation	4130	mg/L
S41B	13/03/2025	Total Alkalinity as CaCO3	109	mg/L
S41B	13/03/2025	Total Anions	64.6	meq/L
S41B	13/03/2025	Total Cations	59.2	meq/L
S41B	13/03/2025	Turbidity	2.7	NTU
S41B	13/03/2025	Zinc	0.013	mg/L
S41B	27/03/2025	Aluminium	0.01	mg/L
S41B	27/03/2025	Bicarbonate Alkalinity as CaCO3	186	mg/L
S41B	27/03/2025	Cadmium	< 0.0001	mg/L
S41B	27/03/2025	Calcium	187	mg/L
S41B	27/03/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41B	27/03/2025	Chloride	3330	mg/L
S41B	27/03/2025	Copper	< 0.001	mg/L
S41B	27/03/2025	Electrical Conductivity @ 25°C	10400	µS/cm
S41B	27/03/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41B	27/03/2025	Ionic Balance	0.63	%
S41B	27/03/2025	Iron	0.27	mg/L
S41B	27/03/2025	Magnesium	355	mg/L
S41B	27/03/2025	Manganese	0.275	mg/L
S41B	27/03/2025	Nickel	< 0.001	mg/L
S41B	27/03/2025	Nitrate as N	0.25	mg/L
S41B	27/03/2025	Nitrite	< 0.01	mg/L
S41B	27/03/2025	Nitrite + Nitrate as N	0.25	mg/L
S41B	27/03/2025	pH	7.77	pH Unit
S41B	27/03/2025	Potassium	14	mg/L
S41B	27/03/2025	Silver	< 0.001	mg/L
S41B	27/03/2025	Sodium	1410	mg/L
S41B	27/03/2025	Sulfate	185	mg/L
S41B	27/03/2025	Sulfur as S	82	mg/L
S41B	27/03/2025	TDS Calculation	6760	mg/L
S41B	27/03/2025	Total Alkalinity as CaCO3	186	mg/L
S41B	27/03/2025	Total Anions	102	meq/L
S41B	27/03/2025	Total Cations	100	meq/L
S41B	27/03/2025	Turbidity	2.8	NTU
S41B	27/03/2025	Zinc	< 0.005	mg/L
S41B	4/04/2025	Aluminium	0.04	mg/L
S41B	4/04/2025	Bicarbonate Alkalinity as CaCO3	174	mg/L
S41B	4/04/2025	Cadmium	< 0.0001	mg/L
S41B	4/04/2025	Calcium	153	mg/L
S41B	4/04/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41B	4/04/2025	Chloride	2920	mg/L
S41B	4/04/2025	Copper	< 0.001	mg/L
S41B	4/04/2025	Electrical Conductivity @ 25°C	9260	µS/cm
S41B	4/04/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41B	4/04/2025	Ionic Balance	2.08	%
S41B	4/04/2025	Iron	0.37	mg/L
S41B	4/04/2025	Magnesium	300	mg/L
S41B	4/04/2025	Manganese	0.384	mg/L
S41B	4/04/2025	Nickel	< 0.001	mg/L

S41B	4/04/2025	Nitrate as N	0.43	mg/L
S41B	4/04/2025	Nitrite	0.01	mg/L
S41B	4/04/2025	Nitrite + Nitrate as N	0.44	mg/L
S41B	4/04/2025	pH	7.86	pH Unit
S41B	4/04/2025	Potassium	12	mg/L
S41B	4/04/2025	Silver	< 0.001	mg/L
S41B	4/04/2025	Sodium	1220	mg/L
S41B	4/04/2025	Sulfate	168	mg/L
S41B	4/04/2025	Sulfur as S	71	mg/L
S41B	4/04/2025	TDS Calculation	6020	mg/L
S41B	4/04/2025	Total Alkalinity as CaCO3	174	mg/L
S41B	4/04/2025	Total Anions	89.3	meq/L
S41B	4/04/2025	Total Cations	85.7	meq/L
S41B	4/04/2025	Turbidity	3.3	NTU
S41B	4/04/2025	Zinc	< 0.005	mg/L
S41B	8/04/2025	Aluminium	0.48	mg/L
S41B	8/04/2025	Bicarbonate Alkalinity as CaCO3	168	mg/L
S41B	8/04/2025	Cadmium	< 0.0001	mg/L
S41B	8/04/2025	Calcium	170	mg/L
S41B	8/04/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41B	8/04/2025	Chloride	3200	mg/L
S41B	8/04/2025	Copper	0.002	mg/L
S41B	8/04/2025	Electrical Conductivity @ 25°C	9150	µS/cm
S41B	8/04/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41B	8/04/2025	Ionic Balance	6.73	%
S41B	8/04/2025	Iron	0.90	mg/L
S41B	8/04/2025	Magnesium	297	mg/L
S41B	8/04/2025	Manganese	0.147	mg/L
S41B	8/04/2025	Nickel	< 0.001	mg/L
S41B	8/04/2025	Nitrate as N	0.27	mg/L
S41B	8/04/2025	Nitrite	0.01	mg/L
S41B	8/04/2025	Nitrite + Nitrate as N	0.28	mg/L
S41B	8/04/2025	pH	7.82	pH Unit
S41B	8/04/2025	Potassium	10	mg/L
S41B	8/04/2025	Silver	< 0.001	mg/L
S41B	8/04/2025	Sodium	1200	mg/L
S41B	8/04/2025	Sulfate	196	mg/L
S41B	8/04/2025	Sulfur as S	68	mg/L
S41B	8/04/2025	TDS Calculation	5950	mg/L
S41B	8/04/2025	Total Alkalinity as CaCO3	168	mg/L
S41B	8/04/2025	Total Anions	97.7	meq/L
S41B	8/04/2025	Total Cations	85.4	meq/L
S41B	8/04/2025	Turbidity	29.0	NTU
S41B	8/04/2025	Zinc	< 0.005	mg/L
S41B	14/04/2025	Aluminium	< 0.01	mg/L
S41B	14/04/2025	Bicarbonate Alkalinity as CaCO3	198	mg/L
S41B	14/04/2025	Cadmium	< 0.0001	mg/L
S41B	14/04/2025	Calcium	170	mg/L
S41B	14/04/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41B	14/04/2025	Chloride	3240	mg/L
S41B	14/04/2025	Copper	< 0.001	mg/L
S41B	14/04/2025	Electrical Conductivity @ 25°C	10600	µS/cm
S41B	14/04/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L

S41B	14/04/2025	Ionic Balance	2.48	%
S41B	14/04/2025	Iron	0.28	mg/L
S41B	14/04/2025	Magnesium	341	mg/L
S41B	14/04/2025	Manganese	0.197	mg/L
S41B	14/04/2025	Nickel	< 0.001	mg/L
S41B	14/04/2025	Nitrate as N	0.20	mg/L
S41B	14/04/2025	Nitrite	< 0.01	mg/L
S41B	14/04/2025	Nitrite + Nitrate as N	0.20	mg/L
S41B	14/04/2025	pH	7.99	pH Unit
S41B	14/04/2025	Potassium	13	mg/L
S41B	14/04/2025	Silver	< 0.001	mg/L
S41B	14/04/2025	Sodium	1340	mg/L
S41B	14/04/2025	Sulfate	224	mg/L
S41B	14/04/2025	Sulfur as S	68	mg/L
S41B	14/04/2025	TDS Calculation	6890	mg/L
S41B	14/04/2025	Total Alkalinity as CaCO ₃	198	mg/L
S41B	14/04/2025	Total Anions	100	meq/L
S41B	14/04/2025	Total Cations	95.2	meq/L
S41B	14/04/2025	Turbidity	3.3	NTU
S41B	14/04/2025	Zinc	< 0.005	mg/L
S41B	23/04/2025	Aluminium	< 0.01	mg/L
S41B	23/04/2025	Bicarbonate Alkalinity as CaCO ₃	208	mg/L
S41B	23/04/2025	Cadmium	< 0.0001	mg/L
S41B	23/04/2025	Calcium	163	mg/L
S41B	23/04/2025	Carbonate Alkalinity as CaCO ₃	< 1	mg/L
S41B	23/04/2025	Chloride	3480	mg/L
S41B	23/04/2025	Copper	< 0.001	mg/L
S41B	23/04/2025	Electrical Conductivity @ 25°C	9940	µS/cm
S41B	23/04/2025	Hydroxide Alkalinity as CaCO ₃	< 1	mg/L
S41B	23/04/2025	Ionic Balance	0.19	%
S41B	23/04/2025	Iron	0.25	mg/L
S41B	23/04/2025	Magnesium	370	mg/L
S41B	23/04/2025	Manganese	0.124	mg/L
S41B	23/04/2025	Nickel	< 0.001	mg/L
S41B	23/04/2025	Nitrate as N	0.24	mg/L
S41B	23/04/2025	Nitrite	< 0.01	mg/L
S41B	23/04/2025	Nitrite + Nitrate as N	0.24	mg/L
S41B	23/04/2025	pH	7.97	pH Unit
S41B	23/04/2025	Potassium	14	mg/L
S41B	23/04/2025	Silver	< 0.001	mg/L
S41B	23/04/2025	Sodium	1540	mg/L
S41B	23/04/2025	Sulfate	193	mg/L
S41B	23/04/2025	Sulfur as S	74	mg/L
S41B	23/04/2025	TDS Calculation	6460	mg/L
S41B	23/04/2025	Total Alkalinity as CaCO ₃	208	mg/L
S41B	23/04/2025	Total Anions	106	meq/L
S41B	23/04/2025	Total Cations	106	meq/L
S41B	23/04/2025	Turbidity	2.5	NTU
S41B	23/04/2025	Zinc	< 0.005	mg/L
S41B	29/04/2025	Aluminium	0.02	mg/L
S41B	29/04/2025	Bicarbonate Alkalinity as CaCO ₃	196	mg/L
S41B	29/04/2025	Cadmium	< 0.0001	mg/L
S41B	29/04/2025	Calcium	161	mg/L

S41B	29/04/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41B	29/04/2025	Chloride	3420	mg/L
S41B	29/04/2025	Copper	< 0.001	mg/L
S41B	29/04/2025	Electrical Conductivity @ 25°C	11300	µS/cm
S41B	29/04/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41B	29/04/2025	Ionic Balance	1.96	%
S41B	29/04/2025	Iron	0.34	mg/L
S41B	29/04/2025	Magnesium	353	mg/L
S41B	29/04/2025	Manganese	0.133	mg/L
S41B	29/04/2025	Nickel	< 0.001	mg/L
S41B	29/04/2025	Nitrate as N	0.03	mg/L
S41B	29/04/2025	Nitrite	< 0.01	mg/L
S41B	29/04/2025	Nitrite + Nitrate as N	0.03	mg/L
S41B	29/04/2025	pH	7.90	pH Unit
S41B	29/04/2025	Potassium	9	mg/L
S41B	29/04/2025	Silver	< 0.001	mg/L
S41B	29/04/2025	Sodium	1650	mg/L
S41B	29/04/2025	Sulfate	216	mg/L
S41B	29/04/2025	Sulfur as S	78	mg/L
S41B	29/04/2025	TDS Calculation	7340	mg/L
S41B	29/04/2025	Total Alkalinity as CaCO3	196	mg/L
S41B	29/04/2025	Total Anions	105	meq/L
S41B	29/04/2025	Total Cations	109	meq/L
S41B	29/04/2025	Turbidity	7.0	NTU
S41B	29/04/2025	Zinc	< 0.005	mg/L
S41B	6/05/2025	Aluminium	0.02	mg/L
S41B	6/05/2025	Bicarbonate Alkalinity as CaCO3	198	mg/L
S41B	6/05/2025	Cadmium	< 0.0001	mg/L
S41B	6/05/2025	Calcium	165	mg/L
S41B	6/05/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41B	6/05/2025	Chloride	3630	mg/L
S41B	6/05/2025	Copper	< 0.001	mg/L
S41B	6/05/2025	Electrical Conductivity @ 25°C	11900	µS/cm
S41B	6/05/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41B	6/05/2025	Ionic Balance	2.12	%
S41B	6/05/2025	Iron	0.32	mg/L
S41B	6/05/2025	Magnesium	383	mg/L
S41B	6/05/2025	Manganese	0.142	mg/L
S41B	6/05/2025	Nickel	< 0.001	mg/L
S41B	6/05/2025	Nitrate as N	0.14	mg/L
S41B	6/05/2025	Nitrite	< 0.01	mg/L
S41B	6/05/2025	Nitrite + Nitrate as N	0.14	mg/L
S41B	6/05/2025	pH	7.95	pH Unit
S41B	6/05/2025	Potassium	10	mg/L
S41B	6/05/2025	Silver	< 0.001	mg/L
S41B	6/05/2025	Sodium	1740	mg/L
S41B	6/05/2025	Sulfate	218	mg/L
S41B	6/05/2025	Sulfur as S	81	mg/L
S41B	6/05/2025	TDS Calculation	7740	mg/L
S41B	6/05/2025	Total Alkalinity as CaCO3	198	mg/L
S41B	6/05/2025	Total Anions	111	meq/L
S41B	6/05/2025	Total Cations	116	meq/L
S41B	6/05/2025	Turbidity	5.0	NTU

S41B	6/05/2025	Zinc	< 0.005	mg/L
S41B	13/05/2025	Aluminium	0.02	mg/L
S41B	13/05/2025	Bicarbonate Alkalinity as CaCO3	203	mg/L
S41B	13/05/2025	Cadmium	< 0.0001	mg/L
S41B	13/05/2025	Calcium	152	mg/L
S41B	13/05/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41B	13/05/2025	Chloride	4460	mg/L
S41B	13/05/2025	Copper	< 0.001	mg/L
S41B	13/05/2025	Electrical Conductivity @ 25°C	12500	µS/cm
S41B	13/05/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41B	13/05/2025	Ionic Balance	5.92	%
S41B	13/05/2025	Iron	0.42	mg/L
S41B	13/05/2025	Magnesium	385	mg/L
S41B	13/05/2025	Manganese	0.140	mg/L
S41B	13/05/2025	Nickel	< 0.001	mg/L
S41B	13/05/2025	Nitrate as N	0.14	mg/L
S41B	13/05/2025	Nitrite	< 0.01	mg/L
S41B	13/05/2025	Nitrite + Nitrate as N	0.14	mg/L
S41B	13/05/2025	pH	7.96	pH Unit
S41B	13/05/2025	Potassium	10	mg/L
S41B	13/05/2025	Silver	< 0.001	mg/L
S41B	13/05/2025	Sodium	1830	mg/L
S41B	13/05/2025	Sulfate	204	mg/L
S41B	13/05/2025	Sulfur as S	80	mg/L
S41B	13/05/2025	TDS Calculation	8120	mg/L
S41B	13/05/2025	Total Alkalinity as CaCO3	203	mg/L
S41B	13/05/2025	Total Anions	134	meq/L
S41B	13/05/2025	Total Cations	119	meq/L
S41B	13/05/2025	Turbidity	8.7	NTU
S41B	13/05/2025	Zinc	< 0.005	mg/L
S41B	20/05/2025	Aluminium	< 0.01	mg/L
S41B	20/05/2025	Bicarbonate Alkalinity as CaCO3	203	mg/L
S41B	20/05/2025	Cadmium	< 0.0001	mg/L
S41B	20/05/2025	Calcium	158	mg/L
S41B	20/05/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41B	20/05/2025	Chloride	4080	mg/L
S41B	20/05/2025	Copper	< 0.001	mg/L
S41B	20/05/2025	Electrical Conductivity @ 25°C	12400	µS/cm
S41B	20/05/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41B	20/05/2025	Ionic Balance	3.61	%
S41B	20/05/2025	Iron	0.38	mg/L
S41B	20/05/2025	Magnesium	374	mg/L
S41B	20/05/2025	Manganese	0.092	mg/L
S41B	20/05/2025	Nickel	< 0.001	mg/L
S41B	20/05/2025	Nitrate as N	0.14	mg/L
S41B	20/05/2025	Nitrite	< 0.01	mg/L
S41B	20/05/2025	Nitrite + Nitrate as N	0.14	mg/L
S41B	20/05/2025	pH	7.83	pH Unit
S41B	20/05/2025	Potassium	9	mg/L
S41B	20/05/2025	Silver	< 0.001	mg/L
S41B	20/05/2025	Sodium	1750	mg/L
S41B	20/05/2025	Sulfate	215	mg/L
S41B	20/05/2025	Sulfur as S	80	mg/L

S41B	20/05/2025	TDS Calculation	8060	mg/L
S41B	20/05/2025	Total Alkalinity as CaCO ₃	203	mg/L
S41B	20/05/2025	Total Anions	124	meq/L
S41B	20/05/2025	Total Cations	115	meq/L
S41B	20/05/2025	Turbidity	28.0	NTU
S41B	20/05/2025	Zinc	< 0.005	mg/L
S41B	28/05/2025	Aluminium	< 0.01	mg/L
S41B	28/05/2025	Bicarbonate Alkalinity as CaCO ₃	221	mg/L
S41B	28/05/2025	Cadmium	< 0.0001	mg/L
S41B	28/05/2025	Calcium	160	mg/L
S41B	28/05/2025	Carbonate Alkalinity as CaCO ₃	< 1	mg/L
S41B	28/05/2025	Chloride	4100	mg/L
S41B	28/05/2025	Copper	< 0.001	mg/L
S41B	28/05/2025	Electrical Conductivity @ 25°C	12700	µS/cm
S41B	28/05/2025	Hydroxide Alkalinity as CaCO ₃	< 1	mg/L
S41B	28/05/2025	Ionic Balance	2.85	%
S41B	28/05/2025	Iron	0.34	mg/L
S41B	28/05/2025	Magnesium	394	mg/L
S41B	28/05/2025	Manganese	0.080	mg/L
S41B	28/05/2025	Nickel	< 0.001	mg/L
S41B	28/05/2025	Nitrate as N	0.13	mg/L
S41B	28/05/2025	Nitrite	< 0.01	mg/L
S41B	28/05/2025	Nitrite + Nitrate as N	0.13	mg/L
S41B	28/05/2025	pH	7.94	pH Unit
S41B	28/05/2025	Potassium	10	mg/L
S41B	28/05/2025	Silver	< 0.001	mg/L
S41B	28/05/2025	Sodium	1770	mg/L
S41B	28/05/2025	Sulfate	216	mg/L
S41B	28/05/2025	Sulfur as S	82	mg/L
S41B	28/05/2025	TDS Calculation	8260	mg/L
S41B	28/05/2025	Total Alkalinity as CaCO ₃	221	mg/L
S41B	28/05/2025	Total Anions	124	meq/L
S41B	28/05/2025	Total Cations	118	meq/L
S41B	28/05/2025	Turbidity	7.7	NTU
S41B	28/05/2025	Zinc	< 0.005	mg/L
S41B	2/06/2025	Aluminium	0.05	mg/L
S41B	2/06/2025	Bicarbonate Alkalinity as CaCO ₃	209	mg/L
S41B	2/06/2025	Cadmium	< 0.0001	mg/L
S41B	2/06/2025	Calcium	139	mg/L
S41B	2/06/2025	Carbonate Alkalinity as CaCO ₃	< 1	mg/L
S41B	2/06/2025	Chloride	4200	mg/L
S41B	2/06/2025	Copper	< 0.001	mg/L
S41B	2/06/2025	Electrical Conductivity @ 25°C	12200	µS/cm
S41B	2/06/2025	Hydroxide Alkalinity as CaCO ₃	< 1	mg/L
S41B	2/06/2025	Ionic Balance	6.24	%
S41B	2/06/2025	Iron	0.42	mg/L
S41B	2/06/2025	Magnesium	352	mg/L
S41B	2/06/2025	Manganese	0.120	mg/L
S41B	2/06/2025	Nickel	< 0.001	mg/L
S41B	2/06/2025	Nitrate as N	0.09	mg/L
S41B	2/06/2025	Nitrite	< 0.01	mg/L
S41B	2/06/2025	Nitrite + Nitrate as N	0.09	mg/L
S41B	2/06/2025	pH	7.73	pH Unit

S41B	2/06/2025	Potassium	9	mg/L
S41B	2/06/2025	Silver	< 0.001	mg/L
S41B	2/06/2025	Sodium	1750	mg/L
S41B	2/06/2025	Sulfate	218	mg/L
S41B	2/06/2025	Sulfur as S	84	mg/L
S41B	2/06/2025	TDS Calculation	7930	mg/L
S41B	2/06/2025	Total Alkalinity as CaCO3	209	mg/L
S41B	2/06/2025	Total Anions	127	meq/L
S41B	2/06/2025	Total Cations	112	meq/L
S41B	2/06/2025	Turbidity	14.0	NTU
S41B	2/06/2025	Zinc	< 0.005	mg/L
S41B	12/06/2025	Aluminium	0.03	mg/L
S41B	12/06/2025	Bicarbonate Alkalinity as CaCO3	203	mg/L
S41B	12/06/2025	Cadmium	< 0.0001	mg/L
S41B	12/06/2025	Calcium	152	mg/L
S41B	12/06/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41B	12/06/2025	Chloride	3660	mg/L
S41B	12/06/2025	Copper	< 0.001	mg/L
S41B	12/06/2025	Electrical Conductivity @ 25°C	11700	µS/cm
S41B	12/06/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41B	12/06/2025	Ionic Balance	1.03	%
S41B	12/06/2025	Iron	0.16	mg/L
S41B	12/06/2025	Magnesium	386	mg/L
S41B	12/06/2025	Manganese	0.061	mg/L
S41B	12/06/2025	Nickel	0.003	mg/L
S41B	12/06/2025	Nitrate as N	0.08	mg/L
S41B	12/06/2025	Nitrite	< 0.01	mg/L
S41B	12/06/2025	Nitrite + Nitrate as N	0.08	mg/L
S41B	12/06/2025	pH	7.94	pH Unit
S41B	12/06/2025	Potassium	10	mg/L
S41B	12/06/2025	Silver	< 0.001	mg/L
S41B	12/06/2025	Sodium	1730	mg/L
S41B	12/06/2025	Sulfate	251	mg/L
S41B	12/06/2025	Sulfur as S	80	mg/L
S41B	12/06/2025	TDS Calculation	7600	mg/L
S41B	12/06/2025	Total Alkalinity as CaCO3	203	mg/L
S41B	12/06/2025	Total Anions	112	meq/L
S41B	12/06/2025	Total Cations	115	meq/L
S41B	12/06/2025	Turbidity	1.8	NTU
S41B	12/06/2025	Zinc	< 0.005	mg/L
S41B	18/06/2025	Aluminium	0.03	mg/L
S41B	18/06/2025	Bicarbonate Alkalinity as CaCO3	222	mg/L
S41B	18/06/2025	Cadmium	< 0.0001	mg/L
S41B	18/06/2025	Calcium	170	mg/L
S41B	18/06/2025	Carbonate Alkalinity as CaCO3	< 1	mg/L
S41B	18/06/2025	Chloride	5020	mg/L
S41B	18/06/2025	Copper	0.001	mg/L
S41B	18/06/2025	Electrical Conductivity @ 25°C	15300	µS/cm
S41B	18/06/2025	Hydroxide Alkalinity as CaCO3	< 1	mg/L
S41B	18/06/2025	Ionic Balance	3.53	%
S41B	18/06/2025	Iron	0.17	mg/L
S41B	18/06/2025	Magnesium	455	mg/L
S41B	18/06/2025	Manganese	0.058	mg/L

S41B	18/06/2025	Nickel	< 0.001	mg/L
S41B	18/06/2025	Nitrate as N	0.04	mg/L
S41B	18/06/2025	Nitrite	< 0.01	mg/L
S41B	18/06/2025	Nitrite + Nitrate as N	0.04	mg/L
S41B	18/06/2025	pH	8.07	pH Unit
S41B	18/06/2025	Potassium	11	mg/L
S41B	18/06/2025	Silver	< 0.001	mg/L
S41B	18/06/2025	Sodium	2200	mg/L
S41B	18/06/2025	Sulfate	300	mg/L
S41B	18/06/2025	Sulfur as S	104	mg/L
S41B	18/06/2025	TDS Calculation	9940	mg/L
S41B	18/06/2025	Total Alkalinity as CaCO ₃	222	mg/L
S41B	18/06/2025	Total Anions	152	meq/L
S41B	18/06/2025	Total Cations	142	meq/L
S41B	18/06/2025	Turbidity	1.4	NTU
S41B	18/06/2025	Zinc	< 0.005	mg/L
S41B	25/06/2025	Aluminium	0.03	mg/L
S41B	25/06/2025	Bicarbonate Alkalinity as CaCO ₃	199	mg/L
S41B	25/06/2025	Cadmium	< 0.0001	mg/L
S41B	25/06/2025	Calcium	186	mg/L
S41B	25/06/2025	Carbonate Alkalinity as CaCO ₃	< 1	mg/L
S41B	25/06/2025	Chloride	5710	mg/L
S41B	25/06/2025	Copper	< 0.001	mg/L
S41B	25/06/2025	Electrical Conductivity @ 25°C	15900	µS/cm
S41B	25/06/2025	Hydroxide Alkalinity as CaCO ₃	< 1	mg/L
S41B	25/06/2025	Ionic Balance	4.07	%
S41B	25/06/2025	Iron	0.24	mg/L
S41B	25/06/2025	Magnesium	536	mg/L
S41B	25/06/2025	Manganese	0.053	mg/L
S41B	25/06/2025	Nickel	< 0.001	mg/L
S41B	25/06/2025	Nitrate as N	0.13	mg/L
S41B	25/06/2025	Nitrite	< 0.01	mg/L
S41B	25/06/2025	Nitrite + Nitrate as N	0.13	mg/L
S41B	25/06/2025	pH	7.95	pH Unit
S41B	25/06/2025	Potassium	13	mg/L
S41B	25/06/2025	Silver	< 0.001	mg/L
S41B	25/06/2025	Sodium	2410	mg/L
S41B	25/06/2025	Sulfate	334	mg/L
S41B	25/06/2025	Sulfur as S	128	mg/L
S41B	25/06/2025	TDS Calculation	10300	mg/L
S41B	25/06/2025	Total Alkalinity as CaCO ₃	199	mg/L
S41B	25/06/2025	Total Anions	172	meq/L
S41B	25/06/2025	Total Cations	158	meq/L
S41B	25/06/2025	Turbidity	2.2	NTU
S41B	25/06/2025	Zinc	< 0.005	mg/L